

# **DSW Handbag Case Level 856 Ship Notice/Manifest**

**ANSI X12 EDI/V4010/856: 856 Ship Notice/Manifest**

**Version: 1.0 Final**

<b>Author:</b>	<b>Brand Technology Services</b>
<b>Publication:</b>	<b>12/6/2006</b>
<b>Trading Partner:</b>	<b>All</b>
<b>Modified:</b>	<b>12/18/2006</b>
<b>Notes:</b>	

# Table of Contents

- 856 Ship Notice/Manifest ..... 1
  - ISA Interchange Control Header ..... 3
  - GS Functional Group Header ..... 5
  - ST Transaction Set Header ..... 7
  - BSN Beginning Segment for Ship Notice ..... 8
  - HL Hierarchical Level ..... 9
  - TD1 Carrier Details (Quantity and Weight) ..... 10
  - TD5 Carrier Details (Routing Sequence/Transit Time) ..... 11
  - REF Reference Identification ..... 13
  - DTM Date/Time Reference ..... 14
  - FOB F.O.B. Related Instructions ..... 15
  - N1 Name ..... 16
  - N3 Address Information ..... 18
  - N4 Geographic Location ..... 19
  - HL Hierarchical Level ..... 20
  - PRF Purchase Order Reference ..... 21
  - TD1 Carrier Details (Quantity and Weight) ..... 22
  - REF Reference Identification ..... 23
  - HL Hierarchical Level ..... 24
  - MAN Marks and Numbers ..... 25
  - HL Hierarchical Level ..... 26
  - LIN Item Identification ..... 27
  - SN1 Item Detail (Shipment) ..... 30
  - CTT Transaction Totals ..... 31
  - SE Transaction Set Trailer ..... 32
  - GE Functional Group Trailer ..... 33
  - IEA Interchange Control Trailer ..... 34

# 856 Ship Notice/Manifest

## Functional Group=SH

**Purpose:** This Draft Standard for Trial Use contains the format and establishes the data contents of the Ship Notice/Manifest Transaction Set (856) for use within the context of an Electronic Data Interchange (EDI) environment. The transaction set can be used to list the contents of a shipment of goods as well as additional information relating to the shipment, such as order information, product description, physical characteristics, type of packaging, marking, carrier information, and configuration of goods within the transportation equipment. The transaction set enables the sender to describe the contents and configuration of a shipment in various levels of detail and provides an ordered flexibility to convey information. The sender of this transaction is the organization responsible for detailing and communicating the contents of a shipment, or shipments, to one or more receivers of the transaction set. The receiver of this transaction set can be any organization having an interest in the contents of a shipment or information about the contents of a shipment.

### Not Defined:

<u>Pos</u>	<u>Id</u>	<u>Segment Name</u>	<u>Req</u>	<u>Max Use</u>	<u>Repeat</u>	<u>Notes</u>	<u>Usage</u>
	ISA	Interchange Control Header	M	1			Must use
	GS	Functional Group Header	M	1			Must use

### Heading:

<u>Pos</u>	<u>Id</u>	<u>Segment Name</u>	<u>Req</u>	<u>Max Use</u>	<u>Repeat</u>	<u>Notes</u>	<u>Usage</u>
010	ST	Transaction Set Header	M	1			Must use
020	BSN	Beginning Segment for Ship Notice	M	1			Must use

### Detail:

<u>Pos</u>	<u>Id</u>	<u>Segment Name</u>	<u>Req</u>	<u>Max Use</u>	<u>Repeat</u>	<u>Notes</u>	<u>Usage</u>
<b>LOOP ID - HL</b>					<b>200000</b>	<b>C2/010L</b>	
010	HL	Hierarchical Level	M	1		C2/010	Must use
110	TD1	Carrier Details (Quantity and Weight)	M	20			Used
120	TD5	Carrier Details (Routing Sequence/Transit Time)	M	12			Used
150	REF	Reference Identification	M	>1			Used
200	DTM	Date/Time Reference	M	10			Used
210	FOB	F.O.B. Related Instructions	M	1			Used
<b>LOOP ID - N1</b>					<b>200</b>		
220	N1	Name	O	1			Used
240	N3	Address Information	O	2			Used
250	N4	Geographic Location	O	1			Used
<b>LOOP ID - HL</b>					<b>200000</b>	<b>C2/010L</b>	
010	HL	Hierarchical Level	M	1		C2/010	Must use
050	PRF	Purchase Order Reference	M	1			Used
110	TD1	Carrier Details (Quantity and Weight)	M	20			Used
150	REF	Reference Identification	M	>1			Used
<b>LOOP ID - HL</b>					<b>200000</b>	<b>C2/010L</b>	
010	HL	Hierarchical Level	M	1		C2/010	Must use
190	MAN	Marks and Numbers	F	>1			Used
<b>LOOP ID - HL</b>					<b>200000</b>	<b>C2/010L</b>	
010	HL	Hierarchical Level	M	1		C2/010	Must use
020	LIN	Item Identification	M	1			Used
030	SN1	Item Detail (Shipment)	M	1			Used

### Summary:

<u>Pos</u>	<u>Id</u>	<u>Segment Name</u>	<u>Req</u>	<u>Max Use</u>	<u>Repeat</u>	<u>Notes</u>	<u>Usage</u>
010	CTT	Transaction Totals	M	1		N3/010	Used

<u>Pos</u>	<u>Id</u>	<u>Segment Name</u>	<u>Req</u>	<u>Max Use</u>	<u>Repeat</u>	<u>Notes</u>	<u>Usage</u>
020	SE	Transaction Set Trailer	M	1			Must use

**Not Defined:**

<u>Pos</u>	<u>Id</u>	<u>Segment Name</u>	<u>Req</u>	<u>Max Use</u>	<u>Repeat</u>	<u>Notes</u>	<u>Usage</u>
	GE	Functional Group Trailer	M	1			Must use
	IEA	Interchange Control Trailer	M	1			Must use

**Notes:**

3/010 Number of line items (CTT01) is the accumulation of the number of HL segments. If used, hash total (CTT02) is the sum of the value of units shipped (SN102) for each SN1 segment.

**Comments:**

- 2/010L The HL segment is the only mandatory segment within the HL loop, and by itself, the HL segment has no meaning.
- 2/010 The HL segment is the only mandatory segment within the HL loop, and by itself, the HL segment has no meaning.
- 2/010L The HL segment is the only mandatory segment within the HL loop, and by itself, the HL segment has no meaning.
- 2/010 The HL segment is the only mandatory segment within the HL loop, and by itself, the HL segment has no meaning.
- 2/010L The HL segment is the only mandatory segment within the HL loop, and by itself, the HL segment has no meaning.
- 2/010 The HL segment is the only mandatory segment within the HL loop, and by itself, the HL segment has no meaning.
- 2/010L The HL segment is the only mandatory segment within the HL loop, and by itself, the HL segment has no meaning.
- 2/010 The HL segment is the only mandatory segment within the HL loop, and by itself, the HL segment has no meaning.

# ISA Interchange Control Header

Pos:	Max: 1
Not Defined - Mandatory	
Loop: N/A	Elements: 16

**User Option (Usage):** Must use

**Purpose:** To start and identify an interchange of zero or more functional groups and interchange-related control segments

## Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
ISA01	I01	<b>Authorization Information Qualifier</b>	M	ID	2/2	Must use
		<b>Description:</b> Code to identify the type of information in the Authorization Information				
		<b>Code Name</b>				
		00 No Authorization Information Present (No Meaningful Information in I02)				
ISA02	I02	<b>Authorization Information</b>	M	AN	10/10	Must use
		<b>Description:</b> Information used for additional identification or authorization of the interchange sender or the data in the interchange; the type of information is set by the Authorization Information Qualifier (I01)				
ISA03	I03	<b>Security Information Qualifier</b>	M	ID	2/2	Must use
		<b>Description:</b> Code to identify the type of information in the Security Information				
		<b>Code Name</b>				
		00 No Security Information Present (No Meaningful Information in I04)				
ISA04	I04	<b>Security Information</b>	M	AN	10/10	Must use
		<b>Description:</b> This is used for identifying the security information about the interchange sender or the data in the interchange; the type of information is set by the Security Information Qualifier (I03)				
ISA05	I05	<b>Interchange ID Qualifier</b>	M	ID	2/2	Must use
		<b>Description:</b> Qualifier to designate the system/method of code structure used to designate the sender or receiver ID element being qualified				
		<b>Code Name</b>				
		01 Duns (Dun & Bradstreet)				
		08 UCC EDI Communications ID (Comm ID)				
		12 Phone (Telephone Companies)				
		ZZ Mutually Defined				
ISA06	I06	<b>Interchange Sender ID</b>	M	AN	15/15	Must use
		<b>Description:</b> Identification code published by the sender for other parties to use as the receiver ID to route data to them; the sender always codes this value in the sender ID element				
ISA07	I05	<b>Interchange ID Qualifier</b>	M	ID	2/2	Must use
		<b>Description:</b> Qualifier to designate the system/method of code structure used to designate the sender or receiver ID element being qualified				
		<b>Code Name</b>				
		01 Duns (Dun & Bradstreet)				
		08 UCC EDI Communications ID (Comm ID)				
		12 Phone (Telephone Companies)				

		<u>Code</u>	<u>Name</u>				
		ZZ	Mutually Defined				
ISA08	I07		<b>Interchange Receiver ID</b>	M	AN	15/15	Must use
			<b>Description:</b> Identification code published by the receiver of the data; When sending, it is used by the sender as their sending ID, thus other parties sending to them will use this as a receiving ID to route data to them				
ISA09	I08		<b>Interchange Date</b>	M	DT	6/6	Must use
			<b>Description:</b> Date of the interchange				
ISA10	I09		<b>Interchange Time</b>	M	TM	4/4	Must use
			<b>Description:</b> Time of the interchange				
ISA11	I10		<b>Interchange Control Standards Identifier</b>	M	ID	1/1	Must use
			<b>Description:</b> Code to identify the agency responsible for the control standard used by the message that is enclosed by the interchange header and trailer <b>All valid standard codes are used.</b>				
ISA12	I11		<b>Interchange Control Version Number</b>	M	ID	5/5	Must use
			<b>Description:</b> Code specifying the version number of the interchange control segments				
			<b>Code</b>				
			<b>Name</b>				
		00401	Draft Standards for Trial Use Approved for Publication by ASC X12 Procedures Review Board through October 1997				
ISA13	I12		<b>Interchange Control Number</b>	M	N0	9/9	Must use
			<b>Description:</b> A control number assigned by the interchange sender				
ISA14	I13		<b>Acknowledgment Requested</b>	M	ID	1/1	Must use
			<b>Description:</b> Code sent by the sender to request an interchange acknowledgment (TA1)				
			<b>Code</b>				
			<b>Name</b>				
		0	No Acknowledgment Requested				
ISA15	I14		<b>Usage Indicator</b>	M	ID	1/1	Must use
			<b>Description:</b> Code to indicate whether data enclosed by this interchange envelope is test, production or information				
			<b>Code</b>				
			<b>Name</b>				
		P	Production Data				
		T	Test Data				
ISA16	I15		<b>Component Element Separator</b>	M		1/1	Must use
			<b>Description:</b> Type is not applicable; the component element separator is a delimiter and not a data element; this field provides the delimiter used to separate component data elements within a composite data structure; this value must be different than the data element separator and the segment terminator				

# GS Functional Group Header

Pos:	Max: 1
Not Defined - Mandatory	
Loop: N/A	Elements: 8

**User Option (Usage):** Must use

**Purpose:** To indicate the beginning of a functional group and to provide control information

## Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
GS01	479	<b>Functional Identifier Code</b>	M	ID	2/2	Must use
		<b>Description:</b> Code identifying a group of application related transaction sets				
		<b>Code Name</b>				
		SH Ship Notice/Manifest (856)				
GS02	142	<b>Application Sender's Code</b>	M	AN	2/15	Must use
		<b>Description:</b> Code identifying party sending transmission; codes agreed to by trading partners				
GS03	124	<b>Application Receiver's Code</b>	M	AN	2/15	Must use
		<b>Description:</b> Code identifying party receiving transmission; codes agreed to by trading partners				
GS04	373	<b>Date</b>	M	DT	8/8	Must use
		<b>Description:</b> Date expressed as CCYYMMDD				
GS05	337	<b>Time</b>	M	TM	4/8	Must use
		<b>Description:</b> Time expressed in 24-hour clock time as follows: HHMM, or HHMMSS, or HHMMSSD, or HHMMSSDD, where H = hours (00-23), M = minutes (00-59), S = integer seconds (00-59) and DD = decimal seconds; decimal seconds are expressed as follows: D = tenths (0-9) and DD = hundredths (00-99)				
GS06	28	<b>Group Control Number</b>	M	N0	1/9	Must use
		<b>Description:</b> Assigned number originated and maintained by the sender				
GS07	455	<b>Responsible Agency Code</b>	M	ID	1/2	Must use
		<b>Description:</b> Code identifying the issuer of the standard; this code is used in conjunction with Data Element 480				
		<b>Code Name</b>				
		X Accredited Standards Committee X12				
GS08	480	<b>Version / Release / Industry Identifier Code</b>	M	AN	1/12	Must use
		<b>Description:</b> Code indicating the version, release, subrelease, and industry identifier of the EDI standard being used, including the GS and GE segments; if code in DE455 in GS segment is X, then in DE 480 positions 1-3 are the version number; positions 4-6 are the release and subrelease, level of the version; and positions 7-12 are the industry or trade association identifiers (optionally assigned by user); if code in DE455 in GS segment is T, then other formats are allowed				
		<b>Code Name</b>				
		004010 Draft Standards Approved for Publication by ASC X12 Procedures Review Board through October 1997				

**Semantics:**

1. GS04 is the group date.
2. GS05 is the group time.
3. The data interchange control number GS06 in this header must be identical to the same data element in the associated functional group trailer, GE02.

**Comments:**

1. A functional group of related transaction sets, within the scope of X12 standards, consists of a collection of similar transaction sets enclosed by a functional group header and a functional group trailer.



# ST Transaction Set Header

Pos: 010	Max: 1
Heading - Mandatory	
Loop: N/A	Elements: 2

**User Option (Usage):** Must use

**Purpose:** To indicate the start of a transaction set and to assign a control number

## Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
ST01	143	<b>Transaction Set Identifier Code</b>	M	ID	3/3	Must use
		<b>Description:</b> Code uniquely identifying a Transaction Set				
		<b>Code Name</b>				
		856 Ship Notice/Manifest				
ST02	329	<b>Transaction Set Control Number</b>	M	AN	4/9	Must use
		<b>Description:</b> Identifying control number that must be unique within the transaction set functional group assigned by the originator for a transaction set				
		<i>The number is sequentially assigned by the sender, starting with one within each functional group. For each functional group, the first transaction set control number will be 0001 and incremented by one for each additional transaction set within the group.</i>				

## Semantics:

1. The transaction set identifier (ST01) used by the translation routines of the interchange partners to select the appropriate transaction set definition (e.g., 810 selects the Invoice Transaction Set).

# BSN Beginning Segment for Ship Notice

Pos: 020	Max: 1
Heading - Mandatory	
Loop: N/A	Elements: 5

**User Option (Usage):** Must use

**Purpose:** To transmit identifying numbers, dates, and other basic data relating to the transaction set

## Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
BSN01	353	<b>Transaction Set Purpose Code</b>	M	ID	2/2	Must use
		<b>Description:</b> Code identifying purpose of transaction set				
		<b>Code Name</b>				
		00 Original				
BSN02	396	<b>Shipment Identification</b>	M	AN	2/30	Must use
		<b>Description:</b> A unique control number assigned by the original shipper to identify a specific shipment				
BSN03	373	<b>Date</b>	M	DT	8/8	Must use
		<b>Description:</b> Date expressed as CCYYMMDD				
BSN04	337	<b>Time</b>	M	TM	4/8	Must use
		<b>Description:</b> Time expressed in 24-hour clock time as follows: HHMM, or HHMMSS, or HHMMSSD, or HHMMSSDD, where H = hours (00-23), M = minutes (00-59), S = integer seconds (00-59) and DD = decimal seconds; decimal seconds are expressed as follows: D = tenths (0-9) and DD = hundredths (00-99)				
BSN05	1005	<b>Hierarchical Structure Code</b>	O	ID	4/4	Must use
		<b>Description:</b> Code indicating the hierarchical application structure of a transaction set that utilizes the HL segment to define the structure of the transaction set				
		<b>Code Name</b>				
		0001 Shipment, Order, Packaging, Item				
		<i>Pick and Pack Structure</i>				

## Syntax Rules:

1. C0706 - If BSN07 is present, then BSN06 is required.

## Semantics:

1. BSN03 is the date the shipment transaction set is created.
2. BSN04 is the time the shipment transaction set is created.
3. BSN06 is limited to shipment related codes.

## Comments:

1. BSN06 and BSN07 differentiate the functionality of use for the transaction set.

## Notes:

*In some implementations, it may be appropriate to omit the unit load level and packaging levels, i.e., tare and pack, from the transaction set. Depending on the retailer's receiving systems, carton identification may not be required. Code 0004 in BSN05 indicates the use of a hierarchical structure that does not include a unit load level or any packaging levels.*

# HL Hierarchical Level

Pos: 010 Max: 1

Detail - Mandatory

Loop: HL Elements: 2

**User Option (Usage):** Must use

**Purpose:** To identify dependencies among and the content of hierarchically related groups of data segments

## Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
HL01	628	<b>Hierarchical ID Number</b>	M	AN	1/12	Must use
		<b>Description:</b> A unique number assigned by the sender to identify a particular data segment in a hierarchical structure				
		<i>The value for this level (shipment) is 1.</i>				
HL03	735	<b>Hierarchical Level Code</b>	M	ID	1/2	Must use
		<b>Description:</b> Code defining the characteristic of a level in a hierarchical structure				
		<b>Code Name</b>				
		S Shipment				

## Comments:

1. The HL segment is used to identify levels of detail information using a hierarchical structure, such as relating line-item data to shipment data, and packaging data to line-item data.
2. The HL segment defines a top-down/left-right ordered structure.
3. HL01 shall contain a unique alphanumeric number for each occurrence of the HL segment in the transaction set. For example, HL01 could be used to indicate the number of occurrences of the HL segment, in which case the value of HL01 would be "1" for the initial HL segment and would be incremented by one in each subsequent HL segment within the transaction.
4. HL02 identifies the hierarchical ID number of the HL segment to which the current HL segment is subordinate.
5. HL03 indicates the context of the series of segments following the current HL segment up to the next occurrence of an HL segment in the transaction. For example, HL03 is used to indicate that subsequent segments in the HL loop form a logical grouping of data referring to shipment, order, or item-level information.
6. HL04 indicates whether or not there are subordinate (or child) HL segments related to the current HL segment.

## Notes:

*The HL segment is used to identify levels of detail information using a hierarchical structure.*

*HL01 shall contain a unique number for each occurrence of the HL segment within the transaction set. The value assigned to the first HL segment will be 1, and is incremented by one for each subsequent HL segment within the transaction set.*

*HL02 identifies the hierarchical ID of the HL segment to which it is subordinate (child of). HL02 will be omitted for the first occurrence of the HL segment in the transaction set, since it has no parent. HL03 identifies the application content of the series of segments following the current HL segment up to the next occurrence of an HL segment, or the CTT or SE segment, e.g., Shipment, Unit Load, Order, Tare, Pack and Item.*

# TD1 Carrier Details (Quantity and Weight)

Pos: 110	Max: 20
Detail - Mandatory	
Loop: HL	Elements: 5

User Option (Usage): Used

Purpose: To specify the transportation details relative to commodity, weight, and quantity

## Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
TD101	103	<b>Packaging Code</b>  <b>Description:</b> Code identifying the type of packaging; Part 1: Packaging Form, Part 2: Packaging Material; if the Data Element is used, then Part 1 is always required  <b>Code Name</b> CTN Carton <b>Code Name</b> 25 Corrugated or Solid 76 Paper	O	AN	3/5	Used
TD102	80	<b>Lading Quantity</b>  <b>Description:</b> Number of units (pieces) of the lading commodity  <i>The number of packages in the shipment as described in TD101</i>	C	N0	1/7	Used
TD106	187	<b>Weight Qualifier</b>  <b>Description:</b> Code defining the type of weight  <b>Code Name</b> G Gross Weight	O	ID	1/2	Used
TD107	81	<b>Weight</b>  <b>Description:</b> Numeric value of weight	C	R	1/10	Used
TD108	355	<b>Unit or Basis for Measurement Code</b>  <b>Description:</b> Code specifying the units in which a value is being expressed, or manner in which a measurement has been taken  <i>See Section III for code list.</i>  <b>Code Name</b> LB Pound	C	ID	2/2	Used

## Syntax Rules:

1. C0102 - If TD101 is present, then TD102 is required.
2. C0304 - If TD103 is present, then TD104 is required.
3. C0607 - If TD106 is present, then TD107 is required.
4. P0708 - If either TD107 or TD108 is present, then the other is required.
5. P0910 - If either TD109 or TD110 is present, then the other is required.

## Notes:

*This segment, at the shipment level, is used to specify total containers and gross weight of the shipment.*

# TD5 Carrier Details (Routing Sequence/Transit Time)

Pos: 120	Max: 12
Detail - Mandatory	
Loop: HL	Elements: 5

User Option (Usage): Used

Purpose: To specify the carrier and sequence of routing and provide transit time information

## Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
TD501	133	<b>Routing Sequence Code</b>	O	ID	1/2	Used
<b>Description:</b> Code describing the relationship of a carrier to a specific shipment movement						
<b>Code Name</b>						
1 1st Carrier after Origin Carrier						
2 2nd Carrier after Origin Carrier						
3 3rd Carrier after Origin Carrier						
4 4th Carrier after Origin Carrier						
5 5th Carrier after Origin Carrier						
6 6th Carrier after Origin Carrier						
7 7th Carrier after Origin Carrier						
8 8th Carrier after Origin Carrier						
9 9th Carrier after Origin Carrier						
A Origin Carrier, Agent's Routing (Rail)						
B Origin/Delivery Carrier (Any Mode)						
O Origin Carrier (Air, Motor, or Ocean)						
S Origin Carrier, Shipper's Routing (Rail)						
TD502	66	<b>Identification Code Qualifier</b>	C	ID	1/2	Used
<b>Description:</b> Code designating the system/method of code structure used for Identification Code (67)						
<b>Code Name</b>						
2 Standard Carrier Alpha Code (SCAC)						
TD503	67	<b>Identification Code</b>	C	AN	2/80	Used
<b>Description:</b> Code identifying a party or other code						
TD504	91	<b>Transportation Method/Type Code</b>	C	ID	1/2	Used
<b>Description:</b> Code specifying the method or type of transportation for the shipment						
<b>Code Name</b>						
A Air						
C Consolidation						
D Parcel Post						
E Expedited Truck						
H Customer Pickup						
L Contract Carrier						
M Motor (Common Carrier)						
R Rail						
S Ocean						
T Best Way (Shippers Option)						
U Private Parcel Service						
AE Air Express						
BU Bus						
CE Customer Pickup / Customer's Expense						

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
TD505	387	Routing	C	AN	1/35	Used

**Description:** Free-form description of the routing or requested routing for shipment, or the originating carrier's identity

### Syntax Rules:

1. R0204050612 - At least one of TD502, TD504, TD505, TD506 or TD512 is required.
2. C0203 - If TD502 is present, then TD503 is required.
3. C0708 - If TD507 is present, then TD508 is required.
4. C1011 - If TD510 is present, then TD511 is required.
5. C1312 - If TD513 is present, then TD512 is required.
6. C1413 - If TD514 is present, then TD513 is required.
7. C1512 - If TD515 is present, then TD512 is required.

### Semantics:

1. TD515 is the country where the service is to be performed.

### Comments:

1. When specifying a routing sequence to be used for the shipment movement in lieu of specifying each carrier within the movement, use TD502 to identify the party responsible for defining the routing sequence, and use TD503 to identify the actual routing sequence, specified by the party identified in TD502.

### Notes:

*This segment is used to specify every carrier in the routing sequence or a specific routing sequence that has been previously identified (usually from a routing guide). The segment can also be used to indicate estimated transit time in days. Only use TD501 if needed for clarity; this is not a requirement in most retail applications. When referring to a pre-established routing guide, use code 91 or 92 in TD502 and identify the routing sequence, from the routing guide, in TD503. To identify a specific private parcel service, TD502 will contain code 2 and TD503 will contain the corresponding SCAC. TD510 and TD511 are used to specify transit time.*

*When using a small package service provider as the carrier, TD502 will contain code 2, TD503 will contain the carrier's SCAC, and TD504 will contain code U to inform the receiver of a small package service shipment.*

# REF Reference Identification

Pos: 150	Max: >1
Detail - Mandatory	
Loop: HL	Elements: 2

User Option (Usage): Used

Purpose: To specify identifying information

## Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
REF01	128	<b>Reference Identification Qualifier</b>	M	ID	2/3	Must use
<b>Description:</b> Code qualifying the Reference Identification						
<b>Code Name</b>						
BM Bill of Lading Number						
CN Carrier's Reference Number (PRO/Invoice)						
MB Master Bill of Lading						
REF02	127	<b>Reference Identification</b>	C	AN	1/30	Must use
<b>Description:</b> Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier						

## Syntax Rules:

1. R0203 - At least one of REF02 or REF03 is required.

## Semantics:

1. REF04 contains data relating to the value cited in REF02.

## Notes:

*In some cases, individual shipments with bill of lading may be grouped under a Master Bill of Lading. Under this circumstance, specifying both the bill of lading and the associated Master Bill of Lading Number will facilitate tracking.*

*Qualified BM data is mandatory.*

# DTM Date/Time Reference

Pos: 200 Max: 10

Detail - Mandatory

Loop: HL

Elements: 2

**User Option (Usage):** Used

**Purpose:** To specify pertinent dates and times

## Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
DTM01	374	<b>Date/Time Qualifier</b>	M	ID	3/3	Must use
		<b>Description:</b> Code specifying type of date or time, or both date and time				
		<b>Code Name</b>				
		011 Shipped				
		017 Estimated Delivery				
		067 Current Schedule Delivery				
DTM02	373	<b>Date</b>	C	DT	8/8	Must use
		<b>Description:</b> Date expressed as CCYYMMDD				

## Syntax Rules:

1. R020305 - At least one of DTM02, DTM03 or DTM05 is required.
2. C0403 - If DTM04 is present, then DTM03 is required.
3. P0506 - If either DTM05 or DTM06 is present, then the other is required.

## Notes:

*All DTM qualifiers and related values are required.*



# FOB F.O.B. Related Instructions

Pos: 210 Max: 1

Detail - Mandatory

Loop: HL

Elements: 1

**User Option (Usage):** Used

**Purpose:** To specify transportation instructions relating to shipment

## Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
FOB01	146	Shipment Method of Payment	M	ID	2/2	Must use

**Description:** Code identifying payment terms for transportation charges

### Code Name

CC Collect

PP Prepaid (by Seller)

## Syntax Rules:

1. C0302 - If FOB03 is present, then FOB02 is required.
2. C0405 - If FOB04 is present, then FOB05 is required.
3. C0706 - If FOB07 is present, then FOB06 is required.
4. C0809 - If FOB08 is present, then FOB09 is required.

## Semantics:

1. FOB01 indicates which party will pay the carrier.
2. FOB02 is the code specifying transportation responsibility location.
3. FOB06 is the code specifying the title passage location.
4. FOB08 is the code specifying the point at which the risk of loss transfers. This may be different than the location specified in FOB02/FOB03 and FOB06/FOB07.

# N1 Name

Pos: 220	Max: 1
Detail - Optional	
Loop: N1	Elements: 4

User Option (Usage): Used

Purpose: To identify a party by type of organization, name, and code

## Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
N101	98	<b>Entity Identifier Code</b>	M	ID	2/3	Must use
		<b>Description:</b> Code identifying an organizational entity, a physical location, property or an individual				
		<b>Code Name</b>				
		SF Ship From				
		ST Ship To				
N102	93	<b>Name</b>	C	AN	1/60	Used
		<b>Description:</b> Free-form name				
N103	66	<b>Identification Code Qualifier</b>	C	ID	1/2	Used
		<b>Description:</b> Code designating the system/method of code structure used for Identification Code (67)				
		<b>Code Name</b>				
		91 Assigned by Seller or Seller's Agent				
		92 Assigned by Buyer or Buyer's Agent				
N104	67	<b>Identification Code</b>	C	AN	2/80	Used
		<b>Description:</b> Code identifying a party or other code				
		<i>This is the location code as defined by N103. The location code may be a formal number, e.g., DUNS, or it may be assigned by either the buyer or seller. The location refers to a store, warehouse, distribution center, plant, etc. Location codes are used to alleviate the need to send complete names and addresses.</i>				
		<b>User Note 2:</b> For N1*ST - N104 value should always be 99999				

## Syntax Rules:

1. R0203 - At least one of N102 or N103 is required.
2. P0304 - If either N103 or N104 is present, then the other is required.

## Comments:

1. This segment, used alone, provides the most efficient method of providing organizational identification. To obtain this efficiency the "ID Code" (N104) must provide a key to the table maintained by the transaction processing party.
2. N105 and N106 further define the type of entity in N101.

## Notes:

*N103 and N104 are required except when N101 contains code MA or OB.*

*When the ship to is the end consumer (customer of retailer), N103 and N104 are not required.*

*In some EDI implementations, it may be necessary to identify the sender and/or receiver of the transaction set within each transaction set. To identify the sender of the transaction set, N101 will contain code FR, N103 will contain code 93, and N104 will contain the actual identification number. To identify the receiver of the transaction set, N101 will contain code TO, N103 will contain code 94, and N104 will contain the actual identification number. These four codes may be used only in the combination listed above and may be used only to identify the sender and/or receiver of the transaction set.*

# N3 Address Information

Pos: 240	Max: 2
Detail - Optional	
Loop: N1	Elements: 1

User Option (Usage): Used

Purpose: To specify the location of the named party

## Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
N301	166	Address Information	M	AN	1/55	Must use

Description: Address information

# N4 Geographic Location

Pos: 250	Max: 1
Detail - Optional	
Loop: N1	Elements: 3

User Option (Usage): Used

Purpose: To specify the geographic place of the named party

## Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
N401	19	<b>City Name</b>	O	AN	2/30	Used
		<b>Description:</b> Free-form text for city name				
N402	156	<b>State or Province Code</b>	O	ID	2/2	Used
		<b>Description:</b> Code (Standard State/Province) as defined by appropriate government agency				
N403	116	<b>Postal Code</b>	O	ID	3/15	Used
		<b>Description:</b> Code defining international postal zone code excluding punctuation and blanks (zip code for United States)				

## Syntax Rules:

1. C0605 - If N406 is present, then N405 is required.

## Comments:

1. A combination of either N401 through N404, or N405 and N406 may be adequate to specify a location.
2. N402 is required only if city name (N401) is in the U.S. or Canada.

## Notes:

*N401 and N402 are required unless N405 and N406 are used.*

# HL Hierarchical Level

Pos: 010	Max: 1
Detail - Mandatory	
Loop: HL	Elements: 3

**User Option (Usage):** Must use

**Purpose:** To identify dependencies among and the content of hierarchically related groups of data segments

## Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
HL01	628	<b>Hierarchical ID Number</b>	M	AN	1/12	Must use
		<b>Description:</b> A unique number assigned by the sender to identify a particular data segment in a hierarchical structure				
HL02	734	<b>Hierarchical Parent ID Number</b>	O	AN	1/12	Must use
		<b>Description:</b> Identification number of the next higher hierarchical data segment that the data segment being described is subordinate to				
HL03	735	<b>Hierarchical Level Code</b>	M	ID	1/2	Must use
		<b>Description:</b> Code defining the characteristic of a level in a hierarchical structure				
		<b>Code Name</b>				
		O Order				

## Comments:

1. The HL segment is used to identify levels of detail information using a hierarchical structure, such as relating line-item data to shipment data, and packaging data to line-item data.
2. The HL segment defines a top-down/left-right ordered structure.
3. HL01 shall contain a unique alphanumeric number for each occurrence of the HL segment in the transaction set. For example, HL01 could be used to indicate the number of occurrences of the HL segment, in which case the value of HL01 would be "1" for the initial HL segment and would be incremented by one in each subsequent HL segment within the transaction.
4. HL02 identifies the hierarchical ID number of the HL segment to which the current HL segment is subordinate.
5. HL03 indicates the context of the series of segments following the current HL segment up to the next occurrence of an HL segment in the transaction. For example, HL03 is used to indicate that subsequent segments in the HL loop form a logical grouping of data referring to shipment, order, or item-level information.
6. HL04 indicates whether or not there are subordinate (or child) HL segments related to the current HL segment.

## Notes:

*The HL segment is used to identify levels of detail information using a hierarchical structure.*

*HL01 shall contain a unique number for each occurrence of the HL segment within the transaction set. The value assigned to the first HL segment will be 1, and is incremented by one for each subsequent HL segment within the transaction set.*

*HL02 identifies the hierarchical ID of the HL segment to which it is subordinate (child of). HL02 will be omitted for the first occurrence of the HL segment in the transaction set, since it has no parent. HL03 identifies the application content of the series of segments following the current HL segment up to the next occurrence of an HL segment, or the CTT or SE segment, e.g., Shipment, Unit Load, Order, Tare, Pack and Item.*

# PRF Purchase Order Reference

Pos: 050	Max: 1
Detail - Mandatory	
Loop: HL	Elements: 3

User Option (Usage): Used

Purpose: To provide reference to a specific purchase order

## Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
PRF01	324	<b>Purchase Order Number</b> <b>Description:</b> Identifying number for Purchase Order assigned by the orderer/purchaser	M	AN	1/22	Must use
PRF02	328	<b>Release Number</b> <b>Description:</b> Number identifying a release against a Purchase Order previously placed by the parties involved in the transaction	O	AN	1/30	Used
PRF04	373	<b>Date</b> <b>Description:</b> Date expressed as CCYYMMDD	O	DT	8/8	Used

## Semantics:

1. PRF04 is the date assigned by the purchaser to purchase order.

# TD1 Carrier Details (Quantity and Weight)

Pos: 110	Max: 20
Detail - Mandatory	
Loop: HL	Elements: 5

User Option (Usage): Used

Purpose: To specify the transportation details relative to commodity, weight, and quantity

## Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
TD101	103	<b>Packaging Code</b>  <b>Description:</b> Code identifying the type of packaging; Part 1: Packaging Form, Part 2: Packaging Material; if the Data Element is used, then Part 1 is always required  <b>Code Name</b> CTN Carton <b>Code Name</b> 25 Corrugated or Solid 76 Paper	O	AN	3/5	Used
TD102	80	<b>Lading Quantity</b>  <b>Description:</b> Number of units (pieces) of the lading commodity	C	N0	1/7	Used
TD106	187	<b>Weight Qualifier</b>  <b>Description:</b> Code defining the type of weight  <b>Code Name</b> G Gross Weight	O	ID	1/2	Used
TD107	81	<b>Weight</b>  <b>Description:</b> Numeric value of weight	C	R	1/10	Used
TD108	355	<b>Unit or Basis for Measurement Code</b>  <b>Description:</b> Code specifying the units in which a value is being expressed, or manner in which a measurement has been taken  <b>Code Name</b> LB Pound	C	ID	2/2	Used

## Syntax Rules:

1. C0102 - If TD101 is present, then TD102 is required.
2. C0304 - If TD103 is present, then TD104 is required.
3. C0607 - If TD106 is present, then TD107 is required.
4. P0708 - If either TD107 or TD108 is present, then the other is required.
5. P0910 - If either TD109 or TD110 is present, then the other is required.



# REF Reference Identification

Pos: 150 Max: >1

Detail - Mandatory

Loop: HL

Elements: 2

User Option (Usage): Used

Purpose: To specify identifying information

## Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
REF01	128	<b>Reference Identification Qualifier</b>	M	ID	2/3	Must use
		<b>Description:</b> Code qualifying the Reference Identification				
		<b>Code Name</b>				
		19 Division Identifier				
		IV Seller's Invoice Number				
REF02	127	<b>Reference Identification</b>	C	AN	1/30	Used
		<b>Description:</b> Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier				

## Syntax Rules:

1. R0203 - At least one of REF02 or REF03 is required.

## Semantics:

1. REF04 contains data relating to the value cited in REF02.

## Notes:

*REF\*19 is mandatory with a value of 29; ie REF\*19\*29*

# HL Hierarchical Level

Pos: 010 Max: 1

Detail - Mandatory

Loop: HL Elements: 3

**User Option (Usage):** Must use

**Purpose:** To identify dependencies among and the content of hierarchically related groups of data segments

## Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
HL01	628	<b>Hierarchical ID Number</b>	M	AN	1/12	Must use
		<b>Description:</b> A unique number assigned by the sender to identify a particular data segment in a hierarchical structure				
HL02	734	<b>Hierarchical Parent ID Number</b>	O	AN	1/12	Must use
		<b>Description:</b> Identification number of the next higher hierarchical data segment that the data segment being described is subordinate to				
HL03	735	<b>Hierarchical Level Code</b>	M	ID	1/2	Must use
		<b>Description:</b> Code defining the characteristic of a level in a hierarchical structure				
		<b>Code Name</b>				
		P Pack				

## Comments:

1. The HL segment is used to identify levels of detail information using a hierarchical structure, such as relating line-item data to shipment data, and packaging data to line-item data.
2. The HL segment defines a top-down/left-right ordered structure.
3. HL01 shall contain a unique alphanumeric number for each occurrence of the HL segment in the transaction set. For example, HL01 could be used to indicate the number of occurrences of the HL segment, in which case the value of HL01 would be "1" for the initial HL segment and would be incremented by one in each subsequent HL segment within the transaction.
4. HL02 identifies the hierarchical ID number of the HL segment to which the current HL segment is subordinate.
5. HL03 indicates the context of the series of segments following the current HL segment up to the next occurrence of an HL segment in the transaction. For example, HL03 is used to indicate that subsequent segments in the HL loop form a logical grouping of data referring to shipment, order, or item-level information.
6. HL04 indicates whether or not there are subordinate (or child) HL segments related to the current HL segment.

## Notes:

*The HL segment is used to identify levels of detail information using a hierarchical structure.*

*HL01 shall contain a unique number for each occurrence of the HL segment within the transaction set. The value assigned to the first HL segment will be 1, and is incremented by one for each subsequent HL segment within the transaction set.*

*HL02 identifies the hierarchical ID of the HL segment to which it is subordinate (child of). HL02 will be omitted for the first occurrence of the HL segment in the transaction set, since it has no parent. HL03 identifies the application content of the series of segments following the current HL segment up to the next occurrence of an HL segment, or the CTT or SE segment, e.g., Shipment, Unit Load, Order, Tare, Pack and Item.*

# MAN Marks and Numbers

Pos: 190 Max: >1

Detail - Floating

Loop: HL

Elements: 2

**User Option (Usage):** Used

**Purpose:** To indicate identifying marks and numbers for shipping containers

## Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
MAN01	88	<b>Marks and Numbers Qualifier</b>	M	ID	1/2	Must use
		<b>Description:</b> Code specifying the application or source of Marks and Numbers (87)				
		<b>Code Name</b>				
		GM SSCC-18 and Application Identifier				
MAN02	87	<b>Marks and Numbers</b>	M	AN	1/48	Must use
		<b>Description:</b> Marks and numbers used to identify a shipment or parts of a shipment				

## Syntax Rules:

1. P0405 - If either MAN04 or MAN05 is present, then the other is required.
2. C0605 - If MAN06 is present, then MAN05 is required.

## Semantics:

1. MAN01/MAN02 and MAN04/MAN05 may be used to identify two different marks and numbers assigned to the same physical container.
2. When both MAN02 and MAN03 are used, MAN02 is the starting number of a sequential range and MAN03 is the ending number of that range.
3. When both MAN05 and MAN06 are used, MAN05 is the starting number of a sequential range, and MAN06 is the ending number of that range.

## Comments:

1. When MAN01 contains code "UC" (U.P.C. Shipping Container Code) and MAN05/MAN06 contain a range of ID numbers, MAN03 is not used. The reason for this is that the U.P.C. Shipping Container code is the same on every carton that is represented in the range in MAN05/MAN06.
2. MAN03 and/or MAN06 are only used when sending a range(s) of ID numbers.
3. When both MAN02/MAN03 and MAN05/MAN06 are used to send ranges of ID numbers, the integrity of the two ID numbers must be maintained.

# HL Hierarchical Level

Pos: 010	Max: 1
Detail - Mandatory	
Loop: HL	Elements: 3

**User Option (Usage):** Must use

**Purpose:** To identify dependencies among and the content of hierarchically related groups of data segments

## Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
HL01	628	<b>Hierarchical ID Number</b>	M	AN	1/12	Must use
		<b>Description:</b> A unique number assigned by the sender to identify a particular data segment in a hierarchical structure				
HL02	734	<b>Hierarchical Parent ID Number</b>	O	AN	1/12	Must use
		<b>Description:</b> Identification number of the next higher hierarchical data segment that the data segment being described is subordinate to				
HL03	735	<b>Hierarchical Level Code</b>	M	ID	1/2	Must use
		<b>Description:</b> Code defining the characteristic of a level in a hierarchical structure				
		<b>Code Name</b>				
		I Item				

## Comments:

1. The HL segment is used to identify levels of detail information using a hierarchical structure, such as relating line-item data to shipment data, and packaging data to line-item data.
2. The HL segment defines a top-down/left-right ordered structure.
3. HL01 shall contain a unique alphanumeric number for each occurrence of the HL segment in the transaction set. For example, HL01 could be used to indicate the number of occurrences of the HL segment, in which case the value of HL01 would be "1" for the initial HL segment and would be incremented by one in each subsequent HL segment within the transaction.
4. HL02 identifies the hierarchical ID number of the HL segment to which the current HL segment is subordinate.
5. HL03 indicates the context of the series of segments following the current HL segment up to the next occurrence of an HL segment in the transaction. For example, HL03 is used to indicate that subsequent segments in the HL loop form a logical grouping of data referring to shipment, order, or item-level information.
6. HL04 indicates whether or not there are subordinate (or child) HL segments related to the current HL segment.

## Notes:

*The HL segment is used to identify levels of detail information using a hierarchical structure.*

*HL01 shall contain a unique number for each occurrence of the HL segment within the transaction set. The value assigned to the first HL segment will be 1, and is incremented by one for each subsequent HL segment within the transaction set.*

*HL02 identifies the hierarchical ID of the HL segment to which it is subordinate (child of). HL02 will be omitted for the first occurrence of the HL segment in the transaction set, since it has no parent. HL03 identifies the application content of the series of segments following the current HL segment up to the next occurrence of an HL segment, or the CTT or SE segment, e.g., Shipment, Unit Load, Order, Tare, Pack and Item.*

# LIN Item Identification

Pos: 020	Max: 1
Detail - Mandatory	
Loop: HL	Elements: 16

User Option (Usage): Used

Purpose: To specify basic item identification data

## Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
LIN02	235	<b>Product/Service ID Qualifier</b>	M	ID	2/2	Must use
		<b>Description:</b> Code identifying the type/source of the descriptive number used in Product/Service ID (234)				
		<b>Code Name</b>				
		EN European Article Number (EAN) (2-5-5-1)				
		IB International Standard Book Number (ISBN)				
		SK Stock Keeping Unit (SKU)				
		UP U.P.C. Consumer Package Code (1-5-5-1)				
LIN03	234	<b>Product/Service ID</b>	M	AN	1/48	Must use
		<b>Description:</b> Identifying number for a product or service				
LIN04	235	<b>Product/Service ID Qualifier</b>	C	ID	2/2	Used
		<b>Description:</b> Code identifying the type/source of the descriptive number used in Product/Service ID (234)				
		<b>Code Name</b>				
		IT Buyer's Style Number				
LIN05	234	<b>Product/Service ID</b>	C	AN	1/48	Used
		<b>Description:</b> Identifying number for a product or service				
LIN06	235	<b>Product/Service ID Qualifier</b>	C	ID	2/2	Used
		<b>Description:</b> Code identifying the type/source of the descriptive number used in Product/Service ID (234)				
		<b>Code Name</b>				
		BO Buyers Color				
LIN07	234	<b>Product/Service ID</b>	C	AN	1/48	Used
		<b>Description:</b> Identifying number for a product or service				
LIN08	235	<b>Product/Service ID Qualifier</b>	C	ID	2/2	Used
		<b>Description:</b> Code identifying the type/source of the descriptive number used in Product/Service ID (234)				
		<b>Code Name</b>				
		IZ Buyer's Size Code				
LIN09	234	<b>Product/Service ID</b>	C	AN	1/48	Used
		<b>Description:</b> Identifying number for a product or service				
LIN10	235	<b>Product/Service ID Qualifier</b>	M	ID	2/2	Used
		<b>Description:</b> Code identifying the type/source of				

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
		the descriptive number used in Product/Service ID (234)				
		<b>Code Name</b> VC Vendor's (Seller's) Catalog Number				
LIN11	234	<b>Product/Service ID</b>	M	AN	1/48	Used
		<b>Description:</b> Identifying number for a product or service				
LIN12	235	<b>Product/Service ID Qualifier</b>	C	ID	2/2	Used
		<b>Description:</b> Code identifying the type/source of the descriptive number used in Product/Service ID (234)				
		<b>Code Name</b> CM National Retail Merchants Association Color Code				
LIN13	234	<b>Product/Service ID</b>	C	AN	1/48	Used
		<b>Description:</b> Identifying number for a product or service				
LIN14	235	<b>Product/Service ID Qualifier</b>	C	ID	2/2	Used
		<b>Description:</b> Code identifying the type/source of the descriptive number used in Product/Service ID (234)				
		<b>Code Name</b> SM National Retail Merchants Association Size Code				
LIN15	234	<b>Product/Service ID</b>	C	AN	1/48	Used
		<b>Description:</b> Identifying number for a product or service				
LIN16	235	<b>Product/Service ID Qualifier</b>	C	ID	2/2	Used
		<b>Description:</b> Code identifying the type/source of the descriptive number used in Product/Service ID (234)				
		<b>Code Name</b> JP Package Type Code				
LIN17	234	<b>Product/Service ID</b>	C	AN	1/48	Used
		<b>Description:</b> Identifying number for a product or service				
		<i>4-Digit Prepack Code provided by DSW (ie 9506, 9512, etc.)</i>				

### Syntax Rules:

1. P0405 - If either LIN04 or LIN05 is present, then the other is required.
2. P0607 - If either LIN06 or LIN07 is present, then the other is required.
3. P0809 - If either LIN08 or LIN09 is present, then the other is required.
4. P1011 - If either LIN10 or LIN11 is present, then the other is required.
5. P1213 - If either LIN12 or LIN13 is present, then the other is required.
6. P1415 - If either LIN14 or LIN15 is present, then the other is required.
7. P1617 - If either LIN16 or LIN17 is present, then the other is required.
8. P1819 - If either LIN18 or LIN19 is present, then the other is required.
9. P2021 - If either LIN20 or LIN21 is present, then the other is required.
10. P2223 - If either LIN22 or LIN23 is present, then the other is required.
11. P2425 - If either LIN24 or LIN25 is present, then the other is required.

12. P2627 - If either LIN26 or LIN27 is present, then the other is required.
13. P2829 - If either LIN28 or LIN29 is present, then the other is required.
14. P3031 - If either LIN30 or LIN31 is present, then the other is required.

**Semantics:**

1. LIN01 is the line item identification

**Comments:**

1. See the Data Dictionary for a complete list of IDs.
2. LIN02 through LIN31 provide for fifteen different product/service IDs for each item. For example: Case, Color, Drawing No., U.P.C. No., ISBN No., Model No., or SKU.

# SN1 Item Detail (Shipment)

Pos: 030	Max: 1
Detail - Mandatory	
Loop: HL	Elements: 4

User Option (Usage): Used

Purpose: To specify line-item detail relative to shipment

## Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
SN102	382	<b>Number of Units Shipped</b>  <b>Description:</b> Numeric value of units shipped in manufacturer's shipping units for a line item or transaction set	M	R	1/10	Must use
SN103	355	<b>Unit or Basis for Measurement Code</b>  <b>Description:</b> Code specifying the units in which a value is being expressed, or manner in which a measurement has been taken  <b>Code Name</b> CA Case EA Each	M	ID	2/2	Must use
SN105	330	<b>Quantity Ordered</b>  <b>Description:</b> Quantity ordered	C	R	1/15	Used
SN106	355	<b>Unit or Basis for Measurement Code</b>  <b>Description:</b> Code specifying the units in which a value is being expressed, or manner in which a measurement has been taken  <b>Code Name</b> CA Case EA Each	C	ID	2/2	Used

## Syntax Rules:

1. P0506 - If either SN105 or SN106 is present, then the other is required.

## Semantics:

1. SN101 is the ship notice line-item identification.

## Comments:

1. SN103 defines the unit of measurement for both SN102 and SN104.



# CTT Transaction Totals

Pos: 010 Max: 1

Summary - Mandatory

Loop: N/A

Elements: 2

User Option (Usage): Used

Purpose: To transmit a hash total for a specific element in the transaction set

## Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
CTT01	354	<b>Number of Line Items</b>	M	N0	1/6	Must use
		<b>Description:</b> Total number of line items in the transaction set				
		<i>The number of HL segments present in the transaction set</i>				
CTT02	347	<b>Hash Total</b>	O	R	1/10	Used
		<b>Description:</b> Sum of values of the specified data element. All values in the data element will be summed without regard to decimal points (explicit or implicit) or signs. Truncation will occur on the left most digits if the sum is greater than the maximum size of the hash total of the data element. Example: -.0018 First occurrence of value being hashed. .18 Second occurrence of value being hashed. 1.8 Third occurrence of value being hashed. 18.01 Fourth occurrence of value being hashed. ----- 1855 Hash total prior to truncation. 855 Hash total after truncation to three-digit field.				

## Syntax Rules:

1. P0304 - If either CTT03 or CTT04 is present, then the other is required.
2. P0506 - If either CTT05 or CTT06 is present, then the other is required.

## Comments:

1. This segment is intended to provide hash totals to validate transaction completeness and correctness.

# SE Transaction Set Trailer

Pos: 020 Max: 1

Summary - Mandatory

Loop: N/A

Elements: 2

**User Option (Usage):** Must use

**Purpose:** To indicate the end of the transaction set and provide the count of the transmitted segments (including the beginning (ST) and ending (SE) segments)

## Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
SE01	96	<b>Number of Included Segments</b>	M	N0	1/10	Must use
		<b>Description:</b> Total number of segments included in a transaction set including ST and SE segments				
SE02	329	<b>Transaction Set Control Number</b>	M	AN	4/9	Must use
		<b>Description:</b> Identifying control number that must be unique within the transaction set functional group assigned by the originator for a transaction set				
		<i>This must be the same number as is in the ST segment (ST02) for the transaction set.</i>				

## Comments:

1. SE is the last segment of each transaction set.

# GE Functional Group Trailer

Pos:	Max: 1
Not Defined - Mandatory	
Loop: N/A	Elements: 2

**User Option (Usage):** Must use

**Purpose:** To indicate the end of a functional group and to provide control information

## Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
GE01	97	<b>Number of Transaction Sets Included</b>  <b>Description:</b> Total number of transaction sets included in the functional group or interchange (transmission) group terminated by the trailer containing this data element	M	N0	1/6	Must use
GE02	28	<b>Group Control Number</b>  <b>Description:</b> Assigned number originated and maintained by the sender	M	N0	1/9	Must use

## Semantics:

1. The data interchange control number GE02 in this trailer must be identical to the same data element in the associated functional group header, GS06.

## Comments:

1. The use of identical data interchange control numbers in the associated functional group header and trailer is designed to maximize functional group integrity. The control number is the same as that used in the corresponding header.

# IEA Interchange Control Trailer

Pos:	Max: 1
Not Defined - Mandatory	
Loop: N/A	Elements: 2

**User Option (Usage):** Must use

**Purpose:** To define the end of an interchange of zero or more functional groups and interchange-related control segments

## Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
IEA01	I16	<b>Number of Included Functional Groups</b>	M	N0	1/5	Must use
		<b>Description:</b> A count of the number of functional groups included in an interchange				
IEA02	I12	<b>Interchange Control Number</b>	M	N0	9/9	Must use
		<b>Description:</b> A control number assigned by the interchange sender				