^{3M} 944 Warehouse Stock Transfer Receipt Advice ANSI VERSION 003060

Functional Group ID= \mathbf{RE}

Introduction:

This Draft Standard for Trial Use contains the format and establishes the data contents of the Warehouse Stock Transfer Receipt Advice Transaction Set (944) for use within the context of an Electronic Data Interchange (EDI) environment. The transaction set can be used by a receiving location to advise a depositor or an agent of the depositor that a transfer shipment has been received. This transaction set provides the depositor or the depositor's agent with detail information concerning product that has been received.

Heading:

М	Pos. <u>No.</u> 010	Seg. <u>ID</u> ST	<u>Name</u> Transaction Set Header	Req. <u>Des.</u> M	<u>Max.Use</u> 1	Loop <u>Repeat</u>	Notes and <u>Comments</u>
М	020	W17	Warehouse Receipt Identification	М	1		
			LOOP ID - 0100			10	
М	040	N1	Name	М	1		

Detail:

	Pos.	Seg.	Name	Req. Des.	Max.Use	Loop	Notes and
	<u>No.</u>	<u>ID</u>	LOOP ID - 0200	Des.	<u>wax.use</u>	<u>Repeat</u> 9999	<u>Comments</u>
М	020	W07	Item Detail For Stock Receipt	М	1		
	040	N9	Reference Identification	0	200		

Summary:

	Pos.	Seg.		Req.		Loop	Notes and
	<u>No.</u>	ID	Name	Des.	Max.Use	Repeat	Comments
М	010	W14	Total Receipt Information	М	1		
М	020	SE	Transaction Set Trailer	М	1		

Segment:	ST Transaction Set Header
Position:	010
Loop:	
Level:	Heading
Usage:	Mandatory
Max Use:	1
Purpose:	To indicate the start of a transaction set and to assign a control number
Comments:	

			Data Element Summary		
	Ref.	Data			
	Des.	<u>Element</u>	Name	Att	ributes
Μ	ST01	143	Transaction Set Identifier Code	Μ	ID 3/3
			Code uniquely identifying a Transaction Set		
Μ	ST02	329	Transaction Set Control Number	Μ	AN 4/9
			Identifying control number that must be unique within the tra functional group assigned by the originator for a transaction		tion set

Segment:	W17 Warehouse Receipt Identification
Position:	020
Loop:	
Level:	Heading
Usage:	Mandatory
Max Use:	1
Purpose:	To provide identifying numbers and date
Comments:	
Notes:	EXAMPLE - W17*F*990216*2847598*ED94589

			Data Element Summary		
	Ref.	Data			
	Des.	<u>Element</u>	Name	Attr	<u>ributes</u>
Μ	W1701	514	Reporting Code	Μ	ID 1/1
			Code specifying the basis used when reporting shipment info	rmati	on
			F Full Detail		
Μ	W1702	373	Date	Μ	DT 6/6
			Date (YYMMDD)		
			DATE RECEIVED AT WAREHOUSE.		
Μ	W1703	394	Warehouse Receipt Number	Μ	AN 1/12
			Identification number assigned to a stock replenishment rece warehouse	ipt by	the
	W1704	285	Depositor Order Number	0	AN 1/22
			Identifying number for warehouse shipping order assigned by	y the o	depositor
			ORIGINAL 3M ORDER NUMBER SENT ON 943.		

Segment:	N1 Na	me
Position:	040	
Loop:	0100	Mandatory
Level:	Heading	-

	0
Usage:	Mandatory
Max Use:	1
Purpose:	To identify a party by type of organization, name, and code
Comments:	1 This segment, used alone, provides the most efficient method of providing organizational identification. To obtain this efficiency the "ID Code" (N104) must
	provide a key to the table maintained by the transaction processing party.
	2 N105 and N106 further define the type of entity in N101.

Notes: EXAMPLE - N1*WH**54*6P

Data Element Summary

		Data Elem	ent Summary		
Ref.	Data				
Des.	Element	<u>Name</u>		Attr	<u>ibutes</u>
N101	98	Entity Identifier C	ode	Μ	ID 2/2
		Code identifying an	organizational entity, a physical location	, or ai	n individual
		WH	Warehouse		
N103	66	Identification Code	e Qualifier	Х	ID 1/2
		Code designating th Code (67)	e system/method of code structure used fo	or Ide	entification
		54	Warehouse		
N104	67	Identification Code	e	Х	AN 2/20
		Code identifying a p	party or other code		
		MUTUALLY DEFI CODE.	NED WAREHOUSE CODE, OR YOUR	WA	REHOUSE

М

Segment:	${f W07}$ Item Detail For Stock Receipt
Position:	020
Loop:	0200 Mandatory
Level:	Detail
Usage:	Mandatory
Max Use:	1
Purpose:	To indicate quantity and condition of product received
Comments:	
Notes:	EXAMPLE - W07*158*BX**VN*70043567522

м

Ref.

Data

	Des.	Element	Name	Att	ributes
Μ	W0701	413	Quantity Received	Μ	R 1/7
			Number of shipping units received		
Μ	W0702	355	Unit or Basis for Measurement Code	Μ	ID 2/2
			Code specifying the units in which a value is being expressed which a measurement has been taken MUST BE THE SAME UOM THAT WAS SENT ON THE 9		nanner in
	W0704	235	Product/Service ID Qualifier	Х	ID 2/2
			Code identifying the type/source of the descriptive number us Product/Service ID (234) VN Vendor's (Seller's) Item Number	sed ir	1
	W0705	234	Product/Service ID	X	AN 1/40
			Identifying number for a product or service		
			3M 11 DIGIT STOCK NUMBER AS IT WAS SENT ON TH	HE 94	43.

Segment:	N9 Reference Identification			
Position:	040			
Loop:	0200 Mandatory			
Level:	Detail			
Usage:	Optional (Must Use)			
Max Use:	200			
Purpose:	To transmit identifying information as specified by the Reference Identification Qualifier			
Comments:				
Notes:	EXAMPLE - N9*IX*ED94589001			
	MUST BE RETURNED AS IT WAS SENT ON THE 943.			

М

Ref.	Data				
Des.	<u>Element</u>	<u>Name</u>		Att	t <u>ributes</u>
N901	128	Reference I	dentification Qualifier	Μ	ID 2/3
		Code qualify	ing the Reference Identification		
		IX	Item Number		
N902	127	Reference I	dentification	Х	AN 1/30
	Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier MUST BE THE SAME VALUE AS WAS PASSED ON THE N9 SEC ON THE 943.				

W14 Total Receipt Information

Segment:	W14 Total Receipt Information
Position:	010
Loop:	
Level:	Summary
Usage:	Mandatory
Max Use:	1
Purpose:	To indicate total received quantity
Comments:	
Notes:	EXAMPLE - W14*158

Data Element Summary

Μ	

Ref.

Des. W1401

Data Element Name 413 Quantity Received Number of shipping units received

Attributes				
Μ	R 1/7			

Purpose:To indicate the end of the transaction set and provide the count of the transmitted
segments (including the beginning (ST) and ending (SE) segments)Comments:1SE is the last segment of each transaction set.

Data Element Summary

М	Ref. <u>Des.</u> SE01	Data <u>Element</u> 96	Name Number of Included Segments	<u>Attr</u> M	<u>ributes</u> N0 1/10	
М	SE02	329	Total number of segments included in a transaction set inclus segments Transaction Set Control Number	C	T and SE	
141	SE02	529	Identifying control number that must be unique within the tra functional group assigned by the originator for a transaction	e within the transaction set		