

## **Cardinal Distribution**

a Cardinal Health company

## 844 Product Transfer Account Adjustment

## **Functional Group ID=CF**

#### **Introduction:**

The information presented in this document is provided to establish the requirements of Cardinal Distribution in passing documents electronically using EDI technology with our trading partners. Standards were developed using the "Industry Conventions and Implementation Guidelines for Electronic Data Interchange" documentation of the National Wholesale Druggists\* Association and are the requirements of our Chargebacks Group. Please contact our EDI Support Staff at (614) 717-5334 with any questions.

#### **Heading:**

Pos. No.	Seg. <u>ID</u>	Name	Req. <u>Des.</u>	Max.Use	Loop <u>Repeat</u>	Notes and Comments
010	ST	Transaction Set Header	M	1		
020	BAA	Beginning Segment for Product Transfer Account Adjustment	M	1		
040	REF	Reference Identification	О	12		
		LOOP ID - N1			50	
070	N1	Name	O	1		
080	N2	Additional Name Information	O	2		
090	N3	Address Information	O	2		
100	N4	Geographic Location	О	1		

### **Detail:**

Pos.	Seg.		Req.		Loop	Notes and
No.	ID	<u>Name</u>	Des.	Max.Use	Repeat	Comments
		LOOP ID - CON			10000	
010	CON	Contract Number Detail	M	1		
		LOOP ID - N1			1	
050	N1	Name	O	1		
060	N2	Additional Name Information	O	2		
070	N3	Address Information	O	2		
080	N4	Geographic Location	O	1		
		LOOP ID - SII			>1	
105	SII	Sales Item Information	O	1		
107	N9	Reference Identification	O	1		

## **Summary:**

Pos.	Seg.		Req.		Loop	Notes and
No.	ID	<u>Name</u>	Des.	Max.Use	Repeat	Comments
010	CTT	Transaction Totals	M	1		n1
020	AMT	Monetary Amount	O	5		
030	SE	Transaction Set Trailer	M	1		

844-4010 (004010) December 10, 1998

Segment: ST Transaction Set Header

**Position:** 010

Loop:

Level: Heading: Usage: Mandatory

Max Use: 1

**Purpose:** To indicate the start of a transaction set and to assign a control number

**Semantic Notes:** 1 The transaction set identifier (ST01) used by the translation routines of the

interchange partners to select the appropriate transaction set definition (e.g., 810

selects the Invoice Transaction Set).

**Comments:** 

Ref.	Data				
Des.	<b>Element</b>	<u>Name</u>	Att	<u>ributes</u>	
ST01	143	Transaction Set Identifier Code	M	ID 3/3	
		Code uniquely identifying a Transaction Set			
ST02	329	Transaction Set Control Number	M	AN 4/9	
		Identifying control number that must be unique within the transaction se functional group assigned by the originator for a transaction set			

Segment:  ${\bf BAA}$  Beginning Segment for Product Transfer Account Adjustment

**Position:** 020

Loop:

Level: Heading: Usage: Mandatory

Max Use:

Purpose: To identify the beginning of a Product Transfer Account Adjustment Transaction Set and

further define the type of product account adjustment transaction set and its reference

number and date

**Semantic Notes:** 1 BAA03 is the account adjustment date.

2 BAA06 is the account adjustment time.

#### **Comments:**

Ref.	Data		•			
Des.	<b>Element</b>	<u>Name</u>		Att	<u>ributes</u>	
BAA01	353	Transaction S	et Purpose Code	M	ID 2/2	
		Code identifying	ng purpose of transaction set			
		00	Original			
		15	Re-Submission			
BAA02	640	Transaction T	Sype Code	$\mathbf{M}$	ID 2/2	
		Code specifyin	g the type of transaction			
		RA	Request for Credit			
BAA03	373	Date		$\mathbf{M}$	<b>DT 8/8</b>	
		Date expressed	l as CCYYMMDD			
BAA04	128	Reference Ide	ntification Qualifier	$\mathbf{X}$	ID 2/3	
		Code qualifyin	g the Reference Identification			
		AM	Adjustment Memo (Charge Back)			
BAA05	127	Reference Ide	ntification	$\mathbf{X}$	AN 1/30	
			Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier			
		Adjustment Me	emo (Chargeback) Number			

Segment: REF Reference Identification

**Position:** 040

Loop:

Level: Heading: Usage: Optional Max Use: 12

**Purpose:** To specify identifying information

**Semantic Notes:** 1 REF04 contains data relating to the value cited in REF02.

**Comments:** 

Ref. <u>Des.</u> REF01	Data Element 128	Name Reference Identification Qualifier Code qualifying the Reference Identif	M	ributes ID 2/3			
		RX Resubmit number	er				
REF02	127	<b>Reference Identification</b>	X	AN 1/30			
		Reference information as defined for a specified by the Reference Identification Resubmit Number	*	or as			
REF03	352	Description	X	AN 1/80			
		A free-form description to clarify the related data elements and their content					

Segment: N1 Name

**Position:** 070

Loop: N1 Optional

Level: Heading: Usage: Optional Max Use: 1

Purpose:

e: To identify a party by type of organization, name, and code

**Semantic Notes:** 

**Comments:** 

1 This segment, used alone, provides the most efficient method of providing organizational identification. To obtain this efficiency the "ID Code" (N104) must provide a key to the table maintained by the transaction processing party.

2 N105 and N106 further define the type of entity in N101.

Ref.	Data				
Des.	<b>Element</b>	<u>Name</u>		Att	<u>ributes</u>
N101	98	<b>Entity Identifier C</b>	ode	$\mathbf{M}$	ID 2/3
		Code identifying an individual	organizational entity, a physical location	n, pro	operty or an
		DB	Distributor Branch		
		DS	Distributor		
		MF	Manufacturer of Goods		
		SU	Supplier/Manufacturer		
N102	93	Name		X	AN 1/60
		Free-form name			
N103	66	<b>Identification Code</b>	e Qualifier	X	ID 1/2
		Code designating the Code (67)	e system/method of code structure used	for I	dentification
		11	Drug Enforcement Administration (DI	EA)	
		21	Health Industry Number (HIN)		
N104	67	<b>Identification Code</b>	e	X	AN 2/80
		Code identifying a p	party or other code		

N2 Additional Name Information **Segment:** 

**Position:** 080

Loop: N1 Optional

Level: Heading: Usage: Optional

Max Use:

**Purpose:** To specify additional names or those longer than 35 characters in length

Semantic Notes: Comments:

Rei.	Data			
Des.	<b>Element</b>	Name	Att	<u>ributes</u>
N201	93	Name	$\overline{\mathbf{M}}$	AN 1/60
		Free-form name		
N202	93	Name	0	AN 1/60
		Free-form name		

Segment: N3 Address Information

Position: 090

Loop: N1 Optional

Level: Heading: Usage: Optional

Max Use: 2

**Purpose:** To specify the location of the named party

Semantic Notes: Comments:

Ref.	Data		
Des.	<b>Element</b>	Name	<u>Attributes</u>
N301	166	Address Information	$\overline{M}$ AN $1/55$
		Address information	
N302	166	Address Information	O AN 1/55
		Address information	

Segment: N4 Geographic Location

**Position:** 100

Loop: N1 Optional

Level: Heading: Usage: Optional

Max Use:

**Purpose:** To specify the geographic place of the named party

**Semantic Notes:** 

Comments: 1

A combination of either N401 through N404, or N405 and N406 may be adequate to specify a location.

2 N402 is required only if city name (N401) is in the U.S. or Canada.

Ref.	Data			
Des.	<b>Element</b>	<u>Name</u>	Att	<u>ributes</u>
N401	19	City Name	O	AN 2/30
		Free-form text for city name		
N402	156	State or Province Code	O	ID 2/2
		Code (Standard State/Province) as defined by appropriate g	overn	ment agency
N403	116	Postal Code	O	ID 3/15
		Code defining international postal zone code excluding pun (zip code for United States)	ctuati	ion and blanks
N404	26	Country Code	O	ID 2/3
		Code identifying the country		

Segment: CON Contract Number Detail

**Position:** 010

Loop: CON Mandatory

Level: Detail: Usage: Mandatory

Max Use: 1

**Purpose:** To specify contract or reference number and status

Semantic Notes: Comments:

Ref. <u>Des.</u> CON01	Data Element 128	Name Reference Identification Qualifier	Att	ributes ID 2/3
001101	120	Code qualifying the Reference Identification		12 2/0
		VC Vendor Contract Number		
CON02	127	Reference Identification	M	AN 1/30
		Reference information as defined for a particular Transac specified by the Reference Identification Qualifier Vendor Contract Number	ction Set	or as
CON03	846	Contract Status Code		ID 2/2
		Code designating the current status of the contract		
		VA Valid Open Contract		

Segment: N1 Name

**Position:** 050

Loop: N1 Optional

Level: Detail: Usage: Optional Max Use: 1

Purpose:

To identify a party by type of organization, name, and code

**Semantic Notes:** 

**Comments:** 

1 This segment, used alone, provides the most efficient method of providing organizational identification. To obtain this efficiency the "ID Code" (N104) must provide a key to the table maintained by the transaction processing party.

2 N105 and N106 further define the type of entity in N101.

Ref.	Data					
Des.	<b>Element</b>	<u>Name</u>		Att	<u>ributes</u>	
N101	98	<b>Entity Identifier (</b>	Code	M	ID 2/3	
		Code identifying an individual ST	n organizational entity, a physical location Ship To	n, pro	operty or an	
N102	93	Name		X	AN 1/60	
		Free-form name				
N103	66	<b>Identification Cod</b>	le Qualifier	X	ID 1/2	
		Code designating the Code (67)	Code designating the system/method of code structure used for Identification Code (67)			
		11	Drug Enforcement Administration (DI	EA)		
		21	Health Industry Number (HIN)			
N104	67	<b>Identification Cod</b>	le	$\mathbf{X}$	AN 2/80	
		Code identifying a	party or other code			

N2 Additional Name Information **Segment:** 

**Position:** 060

Loop: N1 Optional

Level: Detail: Usage: Optional Max Use:

**Purpose:** To specify additional names or those longer than 35 characters in length

Semantic Notes: Comments:

Ref.	Data					
Des.	<b>Element</b>	Name	<u>Att</u>	<u>Attributes</u>		
N201	93	Name	$\overline{\mathbf{M}}$	AN 1/60		
		Free-form name				
N202	93	Name	0	AN 1/60		
		Free-form name				

N3 Address Information **Segment:** 

**Position:** 070

Loop: N1 Optional

Level: Detail: Usage: Optional Max Use:

To specify the location of the named party **Purpose:** 

Semantic Notes: Comments:

Ref.	Data		
Des.	<b>Element</b>	<u>Name</u>	<u>Attributes</u>
N301	166	Address Information	$\overline{M}$ AN $1/55$
		Address information	
N302	166	Address Information	O AN 1/55
		Address information	

N4 Geographic Location **Segment:** 

**Position:** 080

Loop: N1 Optional

Level: Detail: Usage: Optional Max Use:

**Purpose:** 

To specify the geographic place of the named party

**Semantic Notes:** 

**Comments:** 

A combination of either N401 through N404, or N405 and N406 may be adequate to specify a location.

2 N402 is required only if city name (N401) is in the U.S. or Canada.

Ref.	Data			
Des.	<b>Element</b>	<u>Name</u>	Att	<u>ributes</u>
N401	19	City Name	O	AN 2/30
		Free-form text for city name		
N402	156	State or Province Code	O	ID 2/2
		Code (Standard State/Province) as defined by appropriate g	overn	ment agency
N403	116	Postal Code	O	ID 3/15
		Code defining international postal zone code excluding pun (zip code for United States)	ctuati	ion and blanks
N404	26	Country Code	O	ID 2/3
		Code identifying the country		

Segment: SII Sales Item Information

**Position:** 105

Loop: SII Optional

Level: Detail: Usage: Optional Max Use: 1

**Purpose:** To specify line item information related to a sale of an item

**Semantic Notes:** 1 SII03 is the amount of the product identified in SII01 and SII02.

2 SII05 is the wholesale acquisition price.

3 SII06 is the contract price.

4 SII07 is the extended rebate amount.

#### **Comments:**

Ref.	Data		•			
Des.	<b>Element</b>	Name		_	ribu	
SII01	235	Product/Service II	_			2/2
		Code identifying the Product/Service ID	e type/source of the descriptive number (234)	used i	in	
		N4	National Drug Code in 5-4-2 Format			
			5-digit manufacturer ID, 4-digit produtrade package size	ct ID,	2-di	igit
		UI	U.P.C. Consumer Package Code (1-5-	5)		
SII02	234	Product/Service II	)	M	AN	V 1/48
		Identifying number	for a product or service			
SII03	380	Quantity		M	R	1/15
		Numeric value of qu	uantity			
SII04	C001	<b>Composite Unit of</b>	Measure	M		
			osite unit of measure (See Figures App	endix	for	examples
~~~		of use)				
C00101	355	Unit or Basis for M		M		2/2
			e units in which a value is being express	ed, or	man	ner in
		which a measureme CA	Case			
		CT	Carton			
		EA	Each			
SII05	212	Unit Price	Zucii	O	R	1/17
51100	-1-		oduct, service, commodity, etc.	Ü		1,1,
		Wholesale Price				
SII06	212	Unit Price		0	R	1/17
2			oduct, service, commodity, etc.			_,
		Contract Price	, ,			
SII07	782	Monetary Amount		0	R	1/18
		Monetary amount				
		Chargeback Claim	Amount			
		-				

Segment: N9 Reference Identification

**Position:** 107

Loop: SII Optional

Level: Detail: Usage: Optional Max Use: 1

Purpose: To transmit identifying information as specified by the Reference Identification Qualifier

**Semantic Notes:** 1 N906 reflects the time zone which the time reflects.

2 N907 contains data relating to the value cited in N902.

**Comments:** 

Ref.	Data					
Des.	<b>Element</b>	<u>Name</u>	<u>Att</u>	<u>ributes</u>		
N901	128	Reference Identification Qualifier	M	ID 2/3		
		Code qualifying the Reference Identification				
		DI - Distributor Invoice	DI - Distributor Invoice			
		DI Distributor Invoice Number				
N902	127	Reference Identification	X	AN 1/30		
		Reference information as defined for a particular Transact specified by the Reference Identification Qualifier Invoice Number	ion Set	t or as		
N903	369	Free-form Description	X	AN 1/45		
		Free-form descriptive text				
N904	373	Date	O	<b>DT 8/8</b>		
		Date expressed as CCYYMMDD				
		Invoice Date				

Segment: CTT Transaction Totals

**Position:** 010

Loop:

Level: Summary: Usage: Mandatory

Max Use: 1

Purpose:

To transmit a hash total for a specific element in the transaction set

**Semantic Notes:** 

**Comments:** 

This segment is intended to provide hash totals to validate transaction completeness

and correctness.

## **Data Element Summary**

Ref.	Data			
Des.	<b>Element</b>	<u>Name</u>	Att	<u>ributes</u>
CTT01	354	Number of Line Items	M	N0 1/6
		Total number of line items in the transaction set		

Total number of CON segments.

AMT Monetary Amount **Segment:** 

**Position:** 

Loop: Level: Summary: Usage: Optional

Max Use:

**Purpose:** To indicate the total monetary amount

**Semantic Notes:** 

**Comments:** 

Des. AMT01	Element 522	Name Amount Qualifier Code		Att M	ributes ID 1/3
		Code to qualify	y amount		
		CC	Chargeback Claim Amount		
AMT02	782	Monetary Am	ount	$\mathbf{M}$	R 1/18
		Monetary amou	unt		
		Chargeback Cl	aim Amount		

Segment: **SE** Transaction Set Trailer

**Position:** 030

Loop:

Level: Summary: Usage: Mandatory

Max Use: 1

**Purpose:** To indicate the end of the transaction set and provide the count of the transmitted

segments (including the beginning (ST) and ending (SE) segments)

**Semantic Notes:** 

**Comments:** 1 SE is the last segment of each transaction set.

Ref.	Data			
Des.	<b>Element</b>	<u>Name</u>	Att	<u>ributes</u>
SE01	96	Number of Included Segments	$\mathbf{M}$	N0 1/10
		Total number of segments included in a transaction set inclusegments	ıding	ST and SE
SE02	329	Transaction Set Control Number	M	AN 4/9
		Identifying control number that must be unique within the trunctional group assigned by the originator for a transaction		ction set