

Industry Cross Docking Specification EDI Purchase Order Acknowledgements 855 - Version 004010

Revision date: April 13, 2005

<i>ISA Segment</i>	3
<i>GS Segment</i>	4
<i>ST Segment</i>	5
<i>BAK Segment</i>	6
<i>CUR Segment</i>	7
<i>N1 Segment (Bill To)</i>	8
<i>N1 Segment (Vendor)</i>	9
<i>N1 Segment (Ship To)</i>	10
<i>N1 Segment (Final Destination)</i>	11
<i>PO1 Segment</i>	12
<i>CTP Segment</i>	13
<i>PID Segment</i>	14
<i>ACK Segment</i>	15
<i>SCH Segment</i>	17
<i>CTT Segment</i>	18
<i>SE Segment</i>	19
<i>GE Segment</i>	20
<i>IEA Segment</i>	21
<i>Sample Book Order Acknowledgement</i>	22
<i>Appendix A (ACK29 Acknowledgement Codes)</i>	23

855 - Version 4010

Purchase Order Acknowledgements

(MANDATORY)

ISA Segment

Example: ISA*00* *00*ISA ID *ZZ* *ZZ*1436007
*000831*1055*U*00200*000000001*0*P*

Element	Value	Length	Comment
. ISA01	00	2	'00'
. ISA02		10	' '
. ISA03	00	2	'00'
. ISA04		10	' '
. ISA05	'ZZ'	2	'ZZ' qualifier
. ISA06	sender ID	15	
. ISA07	ZZ	2	'ZZ' qualifier
. ISA08	receiver ID	15	
. ISA09	date	6	yymmdd
. ISA10	time	4	hhmm
. ISA11	U	1	'U' ISA standard ID
. ISA12	00200	5	'00200' ISA version ID
. ISA13	ISA control number	9	
. ISA14	0	1	'0'
. ISA15	P	1	'P' for production 'T' for test
. ISA16	'	1	"" sub element separator

855 - Version 4010

Purchase Order Acknowledgements

(MANDATORY)

GS Segment

Example: GS*PR* GS ID *1436007*20000831*1055*1001*X*004010

Element	Value	Length	Comment
. GS01	PR	2	'PR'
. GS02	sender ID	2/15	
. GS03	receiver ID	2/15	
. GS04	date	8	ccyymmdd
. GS05	time	4	hhmm
. GS06	GS control number	1/9	
. GS07	X	1	'X' standard
. GS08	004010	1/12	'004010' version

855 - Version 4010
Purchase Order Acknowledgements
(MANDATORY)

ST Segment

Example: ST*855*0001

Element	Value	Length	Comment
. ST01	855	3	'855'
. ST02	ST control number	1/9	

855 - Version 4010

Purchase Order Acknowledgements

(MANDATORY)

BAK Segment

Purpose: To indicate the beginning of the purchase order acknowledgement and transmit identifying numbers and dates. *Exception acknowledgments are to be used for follow-up purposes only (see BAK01 and BAK02).*

Example: BAK*00*AC*123456*20000630**111111**222222*20011231

Element	Value	Length	Comment
. BAK01	00	2	'00'=original
. BAK02	AC	2	'04'=change acknowledgement type 'AC'=complete ack 'AE'=exception (follow-up use only)
. BAK03	PO #	1/22	
. BAK04	PO date	8	ccymmdd format
. BAK05	not used		
. BAK06	<i>reference number</i>	<i>1/45</i>	<i>optional</i>
. BAK07	not used		
. BAK08	<i>reference ID</i>	<i>1/30</i>	<i>optional</i>
. BAK09	date of ack	8	acknowledgment date
. BAK10	not used.		

855 - Version 4010

Purchase Order Acknowledgments

(OPTIONAL)

CUR Segment

Purpose: To indicate the currency used for the prices in the order. Only used if currency is not Canadian.

*Example: CUR*SE*USD*

Element	Value	Length	Comment
. CUR01	SE	2	'BY'=Buyer 'SE'=Seller
. CUR02	currency	3	
. CUR03	<i>not used</i>		
. CUR04	<i>not used</i>		
. CUR05	<i>not used</i>		
. CUR06	<i>not used</i>		
. CUR07	<i>not used</i>		
. CUR08	<i>not used</i>		
. CUR09	<i>not used.</i>		
. CUR10	<i>not used.</i>		
. CUR11	<i>not used.</i>		
. CUR12	<i>not used.</i>		
. CUR13	<i>not used</i>		
. CUR14	<i>not used</i>		
. CUR15	<i>not used</i>		
. CUR16	<i>not used</i>		
. CUR17	<i>not used</i>		
. CUR18	<i>not used</i>		
. CUR19	<i>not used.</i>		
. CUR20	<i>not used.</i>		
. CUR21	<i>not used.</i>		

855 - Version 4010

Purchase Order Acknowledgements

(MANDATORY)

N1 Segment (Bill To)

Purpose: The N1 segment will identify the Bill-To location for the order. The location code will be Chapters' SAN #.

Example: N1*BT**15*1436007

Element	Value	Length	Comment
. N101	BT	2/3	'BT' bill to
. N102		1/60	optional
. N103	15	1/2	'15' SAN #
. N104	location code	2/80	7 Digits SAN#
. N105	not used		
. N106	not used		

855 - Version 4010

Purchase Order Acknowledgements

(MANDATORY)

N1 Segment (Vendor)

Purpose: The N1 segment will identify the Vendor for the order. The location code will be vendors' SAN #.

Example: N1*VN**15*1234567

Element	Value	Length	Comment
. N101	VN	2/3	'VN' vendor
. N102	not used		
. N103	15	1/2	'15' SAN #
. N104	location code	2/80	7 Digits SAN#
. N105	not used		
. N106	not used		

850 - Version 4010

Purchase Orders

(MANDATORY)

N1 Segment (Ship To)

Purpose: The N1 segment will identify the Ship To Location for the order. The location code will be location's SAN #.

Example: N1*ST**15*1234567

Element	Value	Length	Comment
. N101	ST	2/3	'ST' ship to
. N102	not used		
. N103	15	1/2	'15' SAN #
. N104	location code	2/80	7 Digits SAN#
. N105	not used		
. N106	not used		

855 - Version 4010

Purchase Orders

(MANDATORY)

N1 Segment (Final Destination)

Purpose: The N1 segment will identify the Final Destination Location for the order. The location code will be location's SAN #.

Example: N1*FS**15*1234568

Element	Value	Length	Comment
. N101	FS	2/3	'FS' Final Destination
. N102	not used		
. N103	15	1/2	'15' SAN #
. N104	location code	2/80	7 Digits SAN#
. N105	not used		
. N106	not used		

855 - Version 4010

Purchase Order Acknowledgements

(MANDATORY)

PO1 Segment

Purpose: To specify original purchase order line item data. There will be one occurrence for each line item ordered. *PO# may be sent in follow-up acknowledgements only involving more than one PO#.*

Example: PO1*1*100*EA*10.00*SR*IB*1020304050

Element	Value	Length	Comment
. PO101	<i>Line Number</i>	<i>1/20</i>	<i>optional</i>
. PO102	<i>Quantity</i>	<i>1/15</i>	
. PO103	<i>Unit of Measure</i>	<i>2</i>	<i>unit of measure of the quantity</i>
. PO104	<i>Unit Price</i>	<i>1/17</i>	<i>optional</i>
. PO105	<i>SR</i>	<i>2</i>	<i>'SR'=suggested list unit of measure on which the unit price is based</i>
. PO106	<i>IB/EN</i>	<i>2</i>	<i>'IB' ISBN # optional</i> <i>'EN' EAN # optional</i>
. PO107	<i>ISBN #</i>	<i>1/48</i>	<i>optional</i>
. PO108	<i>UP</i>	<i>2</i>	<i>'UP' UPC # optional</i>
. PO109	<i>UPC #</i>	<i>1/48</i>	<i>optional</i>
. PO110	<i>PO</i>	<i>2</i>	<i>'PO' PO # conditional</i>
. PO111	<i>Purchase order #</i>	<i>1/48</i>	<i>conditional</i>
. PO112	not used		<i>either an ISBN # or EAN</i>
. PO113	not used		<i>or UPC # is mandatory, but</i>
. PO114	not used		<i>only one will be used</i>
. PO115	not used		
. PO116	not used		
. PO117	not used		
. PO118	not used		
. PO119	not used		
. PO120	not used		
. PO121	not used		
. PO122	not used		
. PO123	not used		
. PO124	not used		
. PO125	not used		

855 - Version 4010

Purchase Order Acknowledgements

(MANDATORY)

CTP Segment

Purpose: The CTP segment will specify current price and discount.

Example: CTP**SLP*12.95***DIS*.8

Element	Value	Length	Comment
. CTP01	not used		
. CTP02	SLP	3	'SLP' Suggested List Price unit price
. CTP03	12.95	1/17	
. CTP04	not used		
. CTP05	not used		
. CTP06	DIS	3	'DIS' Discount Multiplier multiplier indicates 20% discount .6 would indicate 40% discount
. CTP07	.8	1/10	
. CTP08	not used		
. CTP09	not used		
. CTP10	not used		
. CTP11	not used		

855 - Version 4010

Purchase Order Acknowledgements

(MANDATORY)

PID Segment

Purpose: To specify unstructured line item description.

There will be one occurrence for each line item.

*Example: PID*F****BOOK OF THE MONTH*

Element	Value	Length	Comment
. PID01	F	1	'F' free form description
<i>. PID02</i>	<i>not used</i>		
<i>. PID03</i>	<i>not used</i>		
<i>. PID04</i>	<i>not used</i>		
. PID05	description	1/80	product description
<i>. PID06</i>	<i>not used</i>		
<i>. PID07</i>	<i>not used</i>		
<i>. PID08</i>	<i>not used</i>		
<i>. PID09</i>	<i>not used</i>		

855 - Version 4010
Purchase Order Acknowledgements
(MANDATORY)

ACK Segment

Purpose: To indicate the line item acknowledgement general status, quantity associated with status, ship date, possible change to ISBN, and detailed status.

Example: ACK*IA*100*EA****AI*1234567890*****BI**BO

Element	Value	Length	Comment
. ACK01	IA	2	<i>basic</i> ack status only 'IA'=item accepted 'IR'=item rejected – see ACK29 for detailed status referring to ack status
. ACK02	quantity	1/15	
. ACK03	unit of measure	2	unit of measure of quantity
. ACK04	not used		
. ACK05	not used		
. ACK06	not used.		
. ACK07	AI	2	'AI'=alternate ISBN optional specifying of replacement ISBN replacement ISBN
. ACK08	1234567890	1/48	
. ACK09	not used.		
. ACK10	not used.		
. ACK11	not used.		
. ACK12	not used.		
. ACK13	not used.		
. ACK14	not used.		
. ACK15	not used		
. ACK16	not used		
. ACK17	not used.		
. ACK18	not used.		
. ACK19	not used.		
. ACK20	not used.		
. ACK21	not used.		
. ACK22	not used.		
. ACK23	not used.		
. ACK24	not used.		
. ACK25	not used.		
. ACK26	not used.		

. ACK27	BI	2	'BI'=maintained by BISAC
. ACK28	ACK	1/15	'ACK'=BISAC code list
name			
. ACK29	OP	1/30	support for: AC, BA, BO, BP, BR, CA, CB, CE, CG, CO, CX, KC, OP (see Appendix A for meaning)

855 - Version 4010
Purchase Order Acknowledgements
(OPTIONAL)

SCH Segment

Purpose: The SCH segment will specify shipment origin and scheduling.

Example: SCH*100*EA*SF*Western Dist Centre*068*20011231

Element	Value	Length	Comment
. SCH01	100	1/15	quantity
. SCH02	EA	2	unit of measure of quantity
. SCH03	SF	2/3	'SF'=ship from
. SCH04	Western Dist Centre	1/60	ship from location
. SCH05	068	3	'068'=current schedule ship
. SCH06	20011231	8	scheduled ship date
. SCH07	not used		
. SCH08	not used		
. SCH09	not used		
. SCH10	not used		
. SCH11	not used		
. SCH12	not used		

855 - Version 4010
Purchase Order Acknowledgements
(MANDATORY)

CTT Segment

Purpose: To provide totals.

Example: CTT*3*500

Element	Value	Length	Comment
. CTT01	# of PO1 segments	1/6	
. CTT02	hash total	1/10	required total <i>number of PO1 quantities</i>
. CTT03	not used		
. CTT04	not used		
. CTT05	not used		
. CTT06	not used		
. CTT07	not used		

**855 - Version 4010
Purchase Order Acknowledgements
(MANDATORY)**

SE Segment

Example: SE*17*0001

Element	Value	Length	Comment
. SE01	number of segments	1/10	number of segments in document including ST and SE segments
. SE02	SE control number	1/9	must match ST control number

855 - Version 4010

**Purchase Order Acknowledgements
(MANDATORY)**

GE Segment

Example: GE*4*1001

Element	Value	Length	Comment
. GE01	number of documents	1/6	number of documents, number of ST/SE pairs
. GE02	GE control number	1/9	must match GS control number

855 - Version 4010

**Purchase Order Acknowledgements
(MANDATORY)**

IEA Segment

Example: IEA*1*000000001

Element	Value	Length	Comment
. IEA01	number of envelopes	8	number of GS/GE pairs
. IEA02	IEA control number	9	must match ISA control number

855 - Version 4010

Purchase Order Acknowledgements

Sample Book Order Acknowledgement

ISA*00* *00* *ZZ*1436007 *ZZ*ISA ID
*000831*1055*U*00200*000000001*0*P*'
GS*PO*1436007*GS ID*20000831*1055*1001*X*004010
ST*855*0001
BAK*00*AC*123456*20000630**111111**222222*20011231
CUR*SE*USD
N1*BT*INDIGO BOOKS AND MUSIC*15*1436007
N1*VN**15*1234567
N1*ST**15*1234568
PO1*1*100*EA*10.00*SR*IB*1020304050
CTP**SLP*10.00***DIS*.8
PID*F****BOOK OF THE MONTH
ACK*IA*100*EA****AI*1234567890*****BI*ACK*BO
PO1*2*500*EA*4.95*SR*IB*9876543210
CTP**SLP*4.95***DIS*.8
PID*F****BOOK OF THE WEEK
ACK*IA*500*EA****AI*1234567890*****BI*ACK*BO
CTT*2*600
SE*16*0001
GE*1*1001
IEA*1*000000001

855 - Version 4010

Purchase Order Acknowledgements

Appendix A (ACK29 Acknowledgement Codes)

Supported BISAC Industry Codes for Element 1271 in ACK29

Note: New ISBN will be indicated in ACK07/08 whether shipping, backordered, or cancelled

Revised Date: 29 July 2002

Meaning	Code	Note
<i>Shipping immediately</i>		
Item accepted and shipping	AC	
<i>Backordered</i>		
Backordered: Not yet printed	BA	
Backordered: Reprint under consideration	BB	<i>Out of stock indefinitely</i>
Backordered: Credit hold	BH	<i>stock reserved till cancel date?</i>
Backordered: Out of stock	BO	
Backordered: Partial shipment	BP	should use 2 ACK's, one for AC, one for BP - watch quantity
Backordered: Reprinting	BR	<i>not Out of stock indefinitely</i>
<i>Cancelled</i>		
Cancelled: Not yet printed	CA	
Cancelled: Not out publication	CB	unknown ISBN
Cancelled: Partial shipment	CE	should use 2 ACK's, one for AC, one for CE - watch quantity
Cancelled: No geographical rights	CG	no Canadian Rights
Cancelled: Out of stock	CO	
Cancelled: Below order minimum	CQ	value or quantity
Cancelled: Reprinting	CR	<i>not Out of stock indefinitely</i>
Cancelled: Publication cancelled	CX	
Cancelled: Item rejected (credit hold)	IR	special CBISAC meaning?
Cancelled: Reprint under consideration	KC	<i>Out of stock indefinitely</i>
Cancelled: Market type restriction	KM	school vs professional vs retail etc
Cancelled: Out of print	OP	