

852 Product Activity Data

Functional Group ID=**PD**

Heading:

	<u>Pos. No.</u>	<u>Seg. ID</u>	<u>Name</u>	<u>Req. Des.</u>	<u>Max.Use</u>	<u>Loop Repeat</u>
M	010	ST	Transaction Set Header	M	1	
M	020	XQ	Reporting Date/Action	M	1	
	040	N9	Reference Identification	O	>1	

Detail:

	<u>Pos. No.</u>	<u>Seg. ID</u>	<u>Name</u>	<u>Req. Des.</u>	<u>Max.Use</u>	<u>Loop Repeat</u>
			LOOP ID - LIN			999999
	010	LIN	Item Identification	O	1	
			LOOP ID - ZA			>1
M	080	ZA	Product Activity Reporting	M	1	
	100	CTP	Pricing Information	O	25	
	110	SDQ	Destination Quantity	O	>1	

Summary:

	<u>Pos. No.</u>	<u>Seg. ID</u>	<u>Name</u>	<u>Req. Des.</u>	<u>Max.Use</u>	<u>Loop Repeat</u>
	010	CTT	Transaction Totals	O	1	
M	020	SE	Transaction Set Trailer	M	1	

Segment: **ST** Transaction Set Header
Position: 010
Loop:
Level: Heading
Usage: Mandatory
Max Use: 1

Data Element Summary

<u>Ref.</u>	<u>Data</u>	<u>Name</u>	<u>Attributes</u>
ST01	143	Transaction Set Identifier Code	M ID 3/3
		852 Product Activity Data	
ST02	329	Transaction Set Control Number	M AN 4/9

KMart

Segment: XQ Reporting Date/Action
Position: 020
Loop:
Level: Heading
Usage: Mandatory
Max Use: 1

Data Element Summary

<u>Ref.</u>	<u>Data</u>	<u>Name</u>	<u>Attributes</u>
XQ01	305	Transaction Handling Code	M ID 1/2
		H Notification Only	
XQ02	373	Date	M DT 8/8
		Reporting date (POS date)	
Not Used	XQ03	373 Date	

Segment: **N9** Reference Identification
Position: 040
Loop:
Level: Heading
Usage: Optional
Max Use: >1

Data Element Summary

	<u>Ref.</u>	<u>Data</u>	<u>Name</u>	<u>Attributes</u>
	<u>Des.</u>	<u>Element</u>		
	N901	128	Reference Identification Qualifier AD Acceptable Source DUNS Number	M ID 2/3
	N902	127	Reference Identification Vendor Order Duns number	M AN 1/30
Not Used	N903	369	Free-form Description	
Not Used	N904	373	Date	
Not Used	N905	337	Time	
Not Used	N906	623	Time Code	
Not Used	N907	C040	Reference Identifier	
Not Used	C04001	128	Reference Identification Qualifier	
Not Used	C04002	127	Reference Identification	
Not Used	C04003	128	Reference Identification Qualifier	
Not Used	C04004	127	Reference Identification	
Not Used	C04005	128	Reference Identification Qualifier	
Not Used	C04006	127	Reference Identification	

Segment: **LIN** Item Identification
Position: 010
Loop: LIN Optional
Level: Detail
Usage: Optional
Max Use: 1
Notes: 1. The qualifiers used in data element 235 Product/Service ID Qualifier fields (e.g. LIN02, LIN04) may be sent in any order as long as they are paired with their appropriate Product ID. For example, the LIN02 may contain UP if LIN03 contains the U.P.C. number. Or LIN02 may contain IN if LIN03 contains the KSN (after EIM conversion.).

Data Element Summary

Ref. Des.	Data Element	Name	Attributes
Not Used	LIN01	350 Assigned Identification	
	LIN02	235 Product/Service ID Qualifier CB Buyer's Catalog Number IN Buyer's Item Number	M ID 2/2
	LIN03	234 Product/Service ID Prior to EIM conversion, KMart Kcode (MOPS number) is used, which is 17 characters. Product ID Qualifier is CB. After EIM conversion, KSN will be required, which is 9 characters. Product ID Qualifier must be IN.	M AN 1/48
	LIN04	235 Product/Service ID Qualifier ZZ Mutually Defined	C ID 2/2
	LIN05	234 Product/Service ID KMart department number (3 characters)	C AN 1/48
	LIN06	235 Product/Service ID Qualifier EN European Article Number (EAN) (2-5-5-1) UP U.P.C. Consumer Package Code (1-5-5-1)	C ID 2/2
	LIN07	234 Product/Service ID UPC - 12 characters EAN - 13 characters	C AN 1/48
	LIN08	235 Product/Service ID Qualifier VN Vendor's (Seller's) Item Number	C ID 2/2
	LIN09	234 Product/Service ID Vendor's Item Number	C AN 1/48
	LIN10	235 Product/Service ID Qualifier MO Movement Type Code (Sales Type Code)	C ID 2/2
	LIN11	234 Product/Service ID VALID SALE TYPE CODES: 0 = SALE 1 = LAYAWAY 2 = LAYAWAY RETURN 3 = RETURN	C AN 1/48

	<u>Ref.</u>	<u>Data</u>	<u>Attributes</u>
	<u>Des.</u>	<u>Element</u> <u>Name</u>	
	LIN12	235 Product/Service ID Qualifier DG Discount Grouping (Price Type code)	C ID 2/2
	LIN13	234 Product/Service ID VALID PRICE TYPE CODES: B = CENTS OFF 0 = NON-SCAN 1 = REGULAR 2 = COMPETITIVE 3 = ADVERTISED/PROMO 4 = BLUE LIGHT 5 = OVER RIDE 6 = PERCENT OFF 7 = ADVERTISED/COUPON 8 = RAIN CHECK 9 = MARK DOWN	C AN 1/48
Not Used	LIN14	235 Product/Service ID Qualifier	
Not Used	LIN15	234 Product/Service ID	
Not Used	LIN16	235 Product/Service ID Qualifier	
Not Used	LIN17	234 Product/Service ID	
Not Used	LIN18	235 Product/Service ID Qualifier	
Not Used	LIN19	234 Product/Service ID	
Not Used	LIN20	235 Product/Service ID Qualifier	
Not Used	LIN21	234 Product/Service ID	
Not Used	LIN22	235 Product/Service ID Qualifier	
Not Used	LIN23	234 Product/Service ID	
Not Used	LIN24	235 Product/Service ID Qualifier	
Not Used	LIN25	234 Product/Service ID	
Not Used	LIN26	235 Product/Service ID Qualifier	
Not Used	LIN27	234 Product/Service ID	
Not Used	LIN28	235 Product/Service ID Qualifier	
Not Used	LIN29	234 Product/Service ID	
Not Used	LIN30	235 Product/Service ID Qualifier	
Not Used	LIN31	234 Product/Service ID	

Segment: **ZA** Product Activity Reporting
Position: 080
Loop: ZA Mandatory
Level: Detail
Usage: Mandatory
Max Use: 1

Data Element Summary

	<u>Ref.</u>	<u>Data</u>	<u>Name</u>	<u>Attributes</u>
	<u>Des.</u>	<u>Element</u>		
	ZA01	859	Activity Code	M ID 2/2
			QS	Quantity Sold
Not Used	ZA02	380	Quantity	
Not Used	ZA03	355	Unit or Basis for Measurement Code	
Not Used	ZA04	374	Date/Time Qualifier	
Not Used	ZA05	373	Date	
Not Used	ZA06	128	Reference Identification Qualifier	
Not Used	ZA07	127	Reference Identification	
Not Used	ZA08	1073	Yes/No Condition or Response Code	

Segment: **CTP Pricing Information**
Position: 100
Loop: ZA Mandatory
Level: Detail
Usage: Optional
Max Use: 25

Data Element Summary

	<u>Ref.</u>	<u>Data</u>	<u>Name</u>	<u>Attributes</u>
	<u>Des.</u>	<u>Element</u>		
Not Used	CTP01	687	Class of Trade Code	
	CTP02	236	Price Identifier Code	C ID 3/3
			LPR List Price	
	CTP03	212	Unit Price	C R 1/17
			KMart selling price	
Not Used	CTP04	380	Quantity	
Not Used	CTP05	C001	Composite Unit of Measure	
Not Used	C00101	355	Unit or Basis for Measurement Code	
Not Used	C00102	1018	Exponent	
Not Used	C00103	649	Multiplier	
Not Used	C00104	355	Unit or Basis for Measurement Code	
Not Used	C00105	1018	Exponent	
Not Used	C00106	649	Multiplier	
Not Used	C00107	355	Unit or Basis for Measurement Code	
Not Used	C00108	1018	Exponent	
Not Used	C00109	649	Multiplier	
Not Used	C00110	355	Unit or Basis for Measurement Code	
Not Used	C00111	1018	Exponent	
Not Used	C00112	649	Multiplier	
Not Used	C00113	355	Unit or Basis for Measurement Code	
Not Used	C00114	1018	Exponent	
Not Used	C00115	649	Multiplier	
Not Used	CTP06	648	Price Multiplier Qualifier	
Not Used	CTP07	649	Multiplier	
Not Used	CTP08	782	Monetary Amount	
Not Used	CTP09	639	Basis of Unit Price Code	
Not Used	CTP10	499	Condition Value	
Not Used	CTP11	289	Multiple Price Quantity	

Segment: **SDQ** Destination Quantity
Position: 110
Loop: ZA Mandatory
Level: Detail
Usage: Optional
Max Use: >1

Data Element Summary

<u>Ref.</u>	<u>Data</u>	<u>Name</u>	<u>Attributes</u>
<u>Des.</u>	<u>Element</u>		
SDQ01	355	Unit or Basis for Measurement Code EA Each	M ID 2/2
SDQ02	66	Identification Code Qualifier 92 Assigned by Buyer or Buyer's Agent	O ID 1/2
SDQ03	67	Identification Code KMart store number (4 characters)	M AN 2/80
SDQ04	380	Quantity Quantity sold or withdrawn from inventory	M R 1/15
SDQ05	67	Identification Code KMart store number (4 characters)	C AN 2/80
SDQ06	380	Quantity Quantity sold or withdrawn from inventory	C R 1/15
SDQ07	67	Identification Code KMart store number (4 characters)	C AN 2/80
SDQ08	380	Quantity Quantity sold or withdrawn from inventory	C R 1/15
SDQ09	67	Identification Code KMart store number (4 characters)	C AN 2/80
SDQ10	380	Quantity Quantity sold or withdrawn from inventory	C R 1/15
SDQ11	67	Identification Code KMart store number (4 characters)	C AN 2/80
SDQ12	380	Quantity Quantity sold or withdrawn from inventory	C R 1/15
SDQ13	67	Identification Code KMart store number (4 characters)	C AN 2/80
SDQ14	380	Quantity Quantity sold or withdrawn from inventory	C R 1/15
SDQ15	67	Identification Code KMart store number (4 characters)	C AN 2/80
SDQ16	380	Quantity Quantity sold or withdrawn from inventory	C R 1/15
SDQ17	67	Identification Code KMart store number (4 characters)	C AN 2/80
SDQ18	380	Quantity Quantity sold or withdrawn from inventory	C R 1/15
SDQ19	67	Identification Code KMart store number (4 characters)	C AN 2/80
SDQ20	380	Quantity Quantity sold or withdrawn from inventory	C R 1/15

KMart

	Ref. Des.	Data Element	Name	Attributes
	SDQ21	67	Identification Code KMart store number (4 characters)	C AN 2/80
	SDQ22	380	Quantity Quantity sold or withdrawn from inventory	C R 1/15
Not Used	SDQ23	310	Location Identifier	O AN 1/30

Segment: **CTT** Transaction Totals
Position: 010
Loop:
Level: Summary
Usage: Optional
Max Use: 1

Data Element Summary

	Ref.	Data		Attributes
	Des.	Element	Name	
	CTT01	354	Number of Line Items	M N0 1/6
Not Used	CTT02	347	Hash Total	
Not Used	CTT03	81	Weight	
Not Used	CTT04	355	Unit or Basis for Measurement Code	
Not Used	CTT05	183	Volume	
Not Used	CTT06	355	Unit or Basis for Measurement Code	
Not Used	CTT07	352	Description	

Segment: **SE** Transaction Set Trailer
Position: 020
Loop:
Level: Summary
Usage: Mandatory
Max Use: 1

Data Element Summary

Ref.	Data		
<u>Des.</u>	<u>Element</u>	<u>Name</u>	<u>Attributes</u>
SE01	96	Number of Included Segments	M N0 1/10
SE02	329	Transaction Set Control Number	M AN 4/9